



## Stampede® (Model 36254-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

|       |                                                              |
|-------|--------------------------------------------------------------|
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2)            |
| 5116  | Ball bearings, blue rubber sealed (5x11x4mm) (2)             |
| 1675  | Bushings, self-lubricating (5x11x4mm) (14)                   |
| 1985  | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |

### Body & Accessories

|            |                                                                                                                                            |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 1926       | Antenna caps, vinyl (2)/ antenna spool                                                                                                     |
| 1726       | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)                                                                                |
| 3619R      | Body conversion kit, Stampede (includes front & rear body mounts, latches, hardware) (for clipless mounting)                               |
| 3620A-BLUE | Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)  |
| 3620-BLUE  | Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)  |
| 3651G      | Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)                                                                 |
| 3620-GRN   | Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless mounting) |
| 3620A-GRN  | Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless mounting) |
| 3651T      | Body, Stampede® (also fits Stampede® VXL), orange (painted, decals applied)                                                                |
| 3620-PINK  | Body, Stampede® (also fits Stampede® VXL), pink (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)  |
| 3620A-PINK | Body, Stampede® (also fits Stampede® VXL), pink (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)  |
| 3651P      | Body, Stampede® (also fits Stampede® VXL), purple (painted, decals applied)                                                                |
| 3651       | Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied)                                                                   |
| 3620A-RED  | Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)   |
| 3620-RED   | Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)   |
| 3617       | Body, Stampede® (clear, requires painting) (requires #3614 to mount)/window, lights, grill decal sheet                                     |
| 6729L      | Body, Stampede® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet                             |
| 3649       | Body, Stampede®, Hawaiian graphics (painted, decals applied)                                                                               |
| 3651L      | Body, Stampede®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet                                 |
| 2514       | Decal sheet, racing sponsors                                                                                                               |
| 3616       | Decal sheets, Stampede®                                                                                                                    |
| 3619X      | Latch, body mount, front (1), rear (1)/ latch mounts, front & rear (left & right) (for clipless body mounting)                             |
| 9950       | Official Team Traxxas® racing decal set(flag logo/ 6-color)                                                                                |
| 3931       | Screws, 3x8mm flat-head machine (hex drive) (6)                                                                                            |
| 5185       | Tires, rubber (2) (fits Traxxas® wheelie bar wheels)                                                                                       |
| 4974       | Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)                                                                                |
| 3677X      | Wheelie bar mount (1) / hardware (blue)                                                                                                    |
| 3677A      | Wheelie bar mount (1) / hardware (green)                                                                                                   |
| 3677P      | Wheelie bar mount (1) / hardware (pink)                                                                                                    |
| 3677       | Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)                                                                       |
| 3678       | Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                          |
| 3678X      | Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)                                                                    |
| 3678A      | Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                          |
| 3678T      | Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                         |
| 3678P      | Wheelie bar, assembled (pink) (fits Slash®, Stampede®, Rustler®, Bandit series)                                                            |
| 3678R      | Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                            |
| 4976       | Wheels (4)/ Axles (2), for Maxx® Wheelie Bar                                                                                               |

|       |                                                                                            |
|-------|--------------------------------------------------------------------------------------------|
| 5186A | Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) |
| 5186  | Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)  |

### Chassis & Attachments

|           |                                                                                                                                               |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| 3698      | Access plug, rubber (receiver box)                                                                                                            |
| 9463X     | Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)                                                       |
| 9463      | Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)                                                       |
| 9463G     | Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)                                                      |
| 9463A     | Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)                                                     |
| 9463P     | Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)                                                       |
| 3725X     | Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)         |
| 3627X     | Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad    |
| 1834      | Body Clips (12) (standard size)                                                                                                               |
| 3934      | Body clips, heavy duty (12)                                                                                                                   |
| 3614X     | Body mounts, front & rear (for clipless body mounting)                                                                                        |
| 3628      | Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)                                                                                |
| 2530-BLK  | Bulkhead (front) (black)                                                                                                                      |
| 2530-GRAY | Bulkhead (front) (gray)                                                                                                                       |
| 2735      | Bumper (front)                                                                                                                                |
| 2735P     | Bumper (front) (pink)                                                                                                                         |
| 3635      | Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12 BCS (2) (fits 2WD Stampede®) (for LED light kit installation)                   |
| 3622X     | Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate) |
| 3622R     | Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)  |
| 3626R     | Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)               |
| 3629      | Seal kit, receiver box (includes o-ring, seals, and silicone grease)                                                                          |
| 3639      | Shock tower (front)                                                                                                                           |
| 3638R     | Shock tower (rear) (for clipless body mounting)                                                                                               |
| 9462X     | Side plates, wheelie bar, blue (aluminum) (2)                                                                                                 |
| 9462      | Side plates, wheelie bar, charcoal gray (aluminum) (2)                                                                                        |
| 9462G     | Side plates, wheelie bar, green (aluminum) (2)                                                                                                |
| 9462A     | Side plates, wheelie bar, orange (aluminum) (2)                                                                                               |
| 9462P     | Side plates, wheelie bar, pink (aluminum) (2)                                                                                                 |
| 9462R     | Side plates, wheelie bar, red (aluminum) (2)                                                                                                  |
| 3623-BLK  | Skid plates, front & rear (black)                                                                                                             |
| 3623-BLUE | Skid plates, front & rear (blue)                                                                                                              |
| 3623-GRN  | Skid plates, front & rear (green)                                                                                                             |
| 3623-PINK | Skid plates, front & rear (pink)                                                                                                              |
| 5185      | Tires, rubber (2) (fits Traxxas® wheelie bar wheels)                                                                                          |
| 4974      | Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)                                                                                   |
| 3677X     | Wheelie bar mount (1) / hardware (blue)                                                                                                       |
| 3677A     | Wheelie bar mount (1) / hardware (green)                                                                                                      |
| 3677P     | Wheelie bar mount (1) / hardware (pink)                                                                                                       |
| 3677      | Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)                                                                          |
| 9464      | Wheelie bar mount (heavy duty)                                                                                                                |
| 2477      | Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)                                                  |
| 3678      | Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                             |
| 3678X     | Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)                                                                       |
| 3678A     | Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                             |
| 3678T     | Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                            |
| 3678P     | Wheelie bar, assembled (pink) (fits Slash®, Stampede®, Rustler®, Bandit series)                                                               |
| 3678R     | Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                               |
| 3678R     | Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)                                                               |

## Page 2 Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Parts List

|       |                                                                                                                         |
|-------|-------------------------------------------------------------------------------------------------------------------------|
| 9460  | Wheelie bar, black (assembled)/ wheelie bar mount                                                                       |
| 9460X | Wheelie bar, black chrome (assembled)/ wheelie bar mount                                                                |
| 4976  | Wheels (4)/ Axles (2), for Maxx® Wheelie Bar                                                                            |
| 5186A | Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)                              |
| 5186  | Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)                               |
| 9461X | Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)   |
| 9461T | Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)   |
| 9461G | Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)  |
| 9461A | Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) |
| 9461P | Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)   |
| 9461R | Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)    |
| 9461  | Wheels, wheelie bar, black (26mm (2), 18mm (2))                                                                         |

### Differential Components

|       |                                                                                                    |
|-------|----------------------------------------------------------------------------------------------------|
| 2380  | Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)                  |
| 2381X | Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)            |
| 2382  | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel |
| 2388X | Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)    |
| 5169  | Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)                                         |

### Driveline Components

|           |                                                                                                                                                                   |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3637      | Axles (front) (2)                                                                                                                                                 |
| 5116      | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                                                                                  |
| 9150      | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)           |
| 9150-BLUE | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)            |
| 9150-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)            |
| 9150-GRN  | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)           |
| 9150-ORNG | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)          |
| 9150-RED  | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)             |
| 6828A     | Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)              |
| 6852A     | Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)                                              |
| 1951R     | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)                                                           |
| 6751      | Half shaft, internal splined (steel-spline constant velocity) (1)                                                                                                 |
| 6757      | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)                                                           |
| 6853A     | Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)                                              |
| 2754      | Stub axle pins (4)                                                                                                                                                |
| 6753      | Stub axle, rear, steel-splined constant velocity (1)                                                                                                              |
| 9142      | Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) |

### Extreme HD Upgrade Kit

|           |                                                                                                                                                         |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9195      | Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)               |
| 9194      | Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)                        |
| 9150      | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9150-BLUE | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)  |

|           |                                                                                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9150-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)   |
| 9150-GRN  | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)  |
| 9150-ORNG | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9150-RED  | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)    |
| 9136      | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)        |
| 9136-BLUE | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)         |
| 9136-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)         |
| 9136-GRN  | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)        |
| 9136-ORNG | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)       |
| 9136-RED  | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)          |
| 9180      | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Rustler® 2WD or Stampede® 2WD)                                                 |
| 9180-BLUE | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Rustler® 2WD or Stampede® 2WD)                                                  |
| 9180-GRAY | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Rustler® 2WD or Stampede® 2WD)                                                  |
| 9180-GRN  | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Rustler® 2WD or Stampede® 2WD)                                                 |
| 9180-ORNG | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Rustler® 2WD or Stampede® 2WD)                                                |
| 9180-RED  | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Rustler® 2WD or Stampede® 2WD)                                                   |
| 3638R     | Shock tower (rear) (for clipless body mounting)                                                                                                          |
| 9137      | Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)            |
| 9137-BLUE | Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)             |
| 9137-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)             |
| 9137-GRN  | Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)            |
| 9137-ORNG | Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)           |
| 9137-RED  | Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)              |
| 9189      | Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)                                  |

### Front Suspension & Steering

|           |                                                                                                                                                   |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| 2537      | 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)                                                                                          |
| 3642      | Attachment screws, shock (3x12mm shoulder screws) (6)                                                                                             |
| 3637      | Axles (front) (2)                                                                                                                                 |
| 5116      | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                                                                  |
| 2530-BLK  | Bulkhead (front) (black)                                                                                                                          |
| 2530-GRAY | Bulkhead (front) (gray)                                                                                                                           |
| 2545      | Bushings (plastic) (5x8x2.5mm) (4)                                                                                                                |
| 9195      | Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)         |
| 9136      | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) |
| 9136-BLUE | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)  |
| 9136-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)  |

### Page 3 Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Parts List

|                 |                                                                                                                                                                   |                                 |                                                                                                                                 |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 9136-GRN        | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)                 | 1747P                           | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)                                                                   |
| 9136-ORNG       | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)                | 3647                            | Nuts, 4mm flanged nylon locking (steel, serrated) (8)                                                                           |
| 9136-RED        | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)                   | 1747                            | Nuts, 4mm nylon locking (10)                                                                                                    |
| 1844X           | Servo saver with adapters/ 3x14mm BCS (1)                                                                                                                         | 1747R                           | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)                                                                     |
| 3639            | Shock tower (front)                                                                                                                                               | 1747G                           | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)                                                                    |
| 9137            | Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)                     | 1747T                           | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)                                                                   |
| 9137-BLUE       | Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)                      | 1747A                           | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)                                                                      |
| 9137-GRAY       | Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)                      | 1985                            | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)                                                                    |
| 9137-GRN        | Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)                     | 1942                            | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)                                                      |
| 9137-ORNG       | Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)                    | 3739                            | Screw pin set (Rustler®/ Bandit®/ Stampede®)                                                                                    |
| 9137-RED        | Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)                       | 3965                            | Screws, 2.5x8mm cap-head machine (6)                                                                                            |
| 3631            | Suspension arms (front) (2)                                                                                                                                       | 2587                            | Screws, 3x10mm caphead machine (6) (no washer)                                                                                  |
| 3631X           | Suspension arms, black, front, heavy duty (2)                                                                                                                     | 2551                            | Screws, 3x10mm countersunk machine (6) (hex drive)                                                                              |
| 3631A           | Suspension arms, blue, front, heavy duty (2)                                                                                                                      | 2578                            | Screws, 3x12mm button-head machine (hex drive) (6)                                                                              |
| 3631G           | Suspension arms, green, front, heavy duty (2)                                                                                                                     | 2552                            | Screws, 3x12mm countersunk machine (6) (hex drive)                                                                              |
| 3631T           | Suspension arms, orange, front, heavy duty (2)                                                                                                                    | 2593                            | Screws, 3x14mm button-head machine (hex drive) (6)                                                                              |
| 3631R           | Suspension arms, red, front, heavy duty (2)                                                                                                                       | 2579                            | Screws, 3x15mm button-head machine (hex drive) (6)                                                                              |
| 9142            | Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) | 2586                            | Screws, 3x15mm cap-head machine (hex drive) (6)                                                                                 |
| 3740            | Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)                                                                                | 3646                            | Screws, 3x15mm flat-head machine (hex drive) (6)                                                                                |
| 2532            | Tie bar, fiberglass (requires suspension pins, part# 2640)                                                                                                        | 2583                            | Screws, 3x18 button-head machine (hex drive) (6)                                                                                |
| 9189            | Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)                                           | 2580                            | Screws, 3x20mm button-head machine (hex drive) (6)                                                                              |
| 3737A           | Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)            | 2591                            | Screws, 3x23mm button-head machine (hex drive) (6)                                                                              |
| 3737            | Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)            | 2582                            | Screws, 3x30mm button-head machine (hex drive) (6)                                                                              |
| 3741A           | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                                | 2575                            | Screws, 3x6mm button-head machine (hex drive) (6)                                                                               |
| 2336A           | Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)           | 2554                            | Screws, 3x6mm caphead machine (hex drive) (6)                                                                                   |
| 3741G           | Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                               | 3932                            | Screws, 3x6mm flat-head machine (hex drive) (6)                                                                                 |
| 3741T           | Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                              | 2576                            | Screws, 3x8mm button-head machine (hex drive) (6)                                                                               |
| 3741P           | Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                                | 3931                            | Screws, 3x8mm flat-head machine (hex drive) (6)                                                                                 |
| 3741X           | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench                                 | 2542                            | Screws, 4x12mm countersunk machine (hex drive) (6)                                                                              |
| 2336X           | Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)           | 5529                            | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)                                                   |
| 3644            | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                                               | 2754                            | Stub axle pins (4)                                                                                                              |
| 3643            | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                                               | 3740                            | Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)                                              |
| <b>Hardware</b> |                                                                                                                                                                   | 2746                            | Washers, 3x6mm metal (12)                                                                                                       |
| 1926            | Antenna caps, vinyl (2)/ antenna spool                                                                                                                            | <b>LED Lights</b>               |                                                                                                                                 |
| 1726            | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)                                                                                                       | 3795                            | LED light harness, rear (requires #2477 wheelie bar mount)                                                                      |
| 1834            | Body Clips (12) (standard size)                                                                                                                                   | 3694                            | LED light set, complete (includes front and rear bumpers with LED lights & BEC Y-harness) (fits 2WD Stampede®)                  |
| 3934            | Body clips, heavy duty (12)                                                                                                                                       | 2263                            | Y-harness, BEC to LED light set                                                                                                 |
| 3787            | Hardware kit, Bandit®/Stampede®/Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®)                                                          | <b>Motors &amp; Electronics</b> |                                                                                                                                 |
| 2745            | Nuts, 3mm nylon locking (12)                                                                                                                                      | 2260                            | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)                                                            |
|                 |                                                                                                                                                                   | 3790                            | Gear adapter, fixed                                                                                                             |
|                 |                                                                                                                                                                   | 2053                            | Gear set (for 2055, 2056 servos)                                                                                                |
|                 |                                                                                                                                                                   | 2072A                           | Gear set (for 2070, 2075 servos)                                                                                                |
|                 |                                                                                                                                                                   | 2252                            | Gear set, metal (for 2250, 2255 servos)                                                                                         |
|                 |                                                                                                                                                                   | 2272                            | Gear set, metal (for 2270 waterproof servo)                                                                                     |
|                 |                                                                                                                                                                   | 2287                            | Gear set, metal (for 2280 servo)                                                                                                |
|                 |                                                                                                                                                                   | 3785                            | Motor, Titan® 12T (12-Turn, 550 size)                                                                                           |
|                 |                                                                                                                                                                   | 3351R                           | Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)                               |
|                 |                                                                                                                                                                   | 3626R                           | Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) |
|                 |                                                                                                                                                                   | 2254                            | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)                                                                  |
|                 |                                                                                                                                                                   | 2253                            | Servo case, aluminum (middle) (red-anodized) (for 2255 servo)                                                                   |
|                 |                                                                                                                                                                   | 2251                            | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)                                            |
|                 |                                                                                                                                                                   | 2271                            | Servo case/ gaskets (for 2270 waterproof servo)                                                                                 |
|                 |                                                                                                                                                                   | 2074                            | Servo case/gaskets (for 2056 and 2075 waterproof servos)                                                                        |
|                 |                                                                                                                                                                   | 2075R                           | Servo, digital high-speed, metal gear (ball bearing), waterproof                                                                |
|                 |                                                                                                                                                                   | 2075                            | Servo, digital high-torque (ball bearing), waterproof                                                                           |
|                 |                                                                                                                                                                   | 2250                            | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof                                                  |
|                 |                                                                                                                                                                   | 2255                            | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof                                                 |
|                 |                                                                                                                                                                   | 2280                            | Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof                                                 |
|                 |                                                                                                                                                                   | 2075X                           | Servo, digital high-torque, metal gear (ball bearing), waterproof                                                               |
|                 |                                                                                                                                                                   | 2270                            | Servo, digital high-torque, metal gear (ball bearing), waterproof                                                               |
|                 |                                                                                                                                                                   | 2056                            | Servo, high-torque, waterproof (blue case)                                                                                      |

## Page 4 Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Parts List

|                                               |                                                                                                                                                           |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3350R                                         | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) |
| 3355R                                         | VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)                                                                                    |
| 3018R                                         | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)                                                            |
| <b>Radio System, Batteries &amp; Chargers</b> |                                                                                                                                                           |
| 2922X                                         | 3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell                                                                                                         |
| 2827X                                         | 3000mAh 7.4v 2-Cell LiPo Battery                                                                                                                          |
| 2923X                                         | 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell                                                                                                         |
| 2926X                                         | 3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell                                                                                                         |
| 2942X                                         | 3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell                                                                                                |
| 2940X                                         | 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell                                                                                                |
| 2941X                                         | 3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell                                                                                                |
| 2952X                                         | 4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell                                                                                                |
| 2950X                                         | 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell                                                                                                |
| 2951X                                         | 4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell                                                                                                |
| 2842X                                         | 5000mAh 7.4v 2-Cell 25C LiPo Battery                                                                                                                      |
| 2960X                                         | 5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell                                                                                                |
| 2961X                                         | 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell                                                                                                |
| 2844R                                         | 5200mAh 7.4v 2-cell 35C LiPo Battery                                                                                                                      |
| 2843X                                         | 5800mAh 7.4v 2-Cell 25C LiPo Battery                                                                                                                      |
| 2869X                                         | 7600mAh 7.4v 2-Cell 25C LiPo Battery                                                                                                                      |
| 2976                                          | AC to DC adapter                                                                                                                                          |
| 2938X                                         | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)                                                              |
| 1726                                          | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)                                                                                               |
| 2943                                          | Battery charge indicators, green (4), grey (4), blue (4)                                                                                                  |
| 6548                                          | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)                                                                                |
| 2914                                          | Battery, Power Cell AA Alkaline (4)                                                                                                                       |
| 2983                                          | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))                 |
| 2992                                          | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))                                      |
| 2970-2SR                                      | Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))                                      |
| 2991                                          | Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))                                 |
| 2985-2S                                       | Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))                                          |
| 2260                                          | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)                                                                                      |
| 2969                                          | Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)                                                                                |
| 2975                                          | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)                                                                                                    |
| 2972                                          | Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with iD Auto Battery Identification                                                                          |
| 2973                                          | Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with iD Auto Battery Identification                                                                          |
| 2970                                          | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification                                                                               |
| 2981                                          | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification                                                                          |
| 2985                                          | Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification                                                                             |
| 2982                                          | Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)                                                                                         |
| 2971                                          | EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®                                                            |
| 2978                                          | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)                                                                                                         |
| 2053                                          | Gear set (for 2055, 2056 servos)                                                                                                                          |
| 2072A                                         | Gear set (for 2070, 2075 servos)                                                                                                                          |
| 2272                                          | Gear set, metal (for 2270 waterproof servo)                                                                                                               |
| 2968X                                         | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)                                                                   |
| 2968                                          | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)                                                                   |
| 6557X                                         | Mount, telemetry expander (fits Stampede® 2WD)                                                                                                            |
| 6535                                          | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad                                                                                        |
| 2912                                          | Power adapter, AC, USB-C (45W) (110 volt, North America only)                                                                                             |
| 2916                                          | Power cable, USB-C, 100W (high output), 5 ft. (1.5m)                                                                                                      |
| 6519                                          | Receiver, micro, TQ 2.4GHz (3-channel)                                                                                                                    |
| 6533X                                         | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)                                                                                             |
| 6522                                          | Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1)                                                                                                          |
| 6521                                          | Sensor, temperature and voltage (long)                                                                                                                    |
| 2271                                          | Servo case/ gaskets (for 2270 waterproof servo)                                                                                                           |

|       |                                                                                                                                    |
|-------|------------------------------------------------------------------------------------------------------------------------------------|
| 2074  | Servo case/gaskets (for 2056 and 2075 waterproof servos)                                                                           |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof                                                                   |
| 2075  | Servo, digital high-torque (ball bearing), waterproof                                                                              |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof                                                                  |
| 2270  | Servo, digital high-torque, metal gear (ball bearing), waterproof                                                                  |
| 2056  | Servo, high-torque, waterproof (blue case)                                                                                         |
| 6553X | Telemetry Expander 2.0 and GPS module 2.0, TQi radio system                                                                        |
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)                                                     |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)                                           |
| 6538  | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)                                      |
| 6540  | Telemetry trigger magnet, 5x2mm (1)                                                                                                |
| 6509A | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)               |
| 6507A | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) |
| 6516  | Transmitter, TQ 2.4GHz, 2-channel (transmitter only)                                                                               |
| 6528X | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)                                           |
| 6529X | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)                                           |
| 6530X | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)                                           |
| 6511  | Traxxas® Link Bluetooth® module                                                                                                    |
| 6537  | Wire retainers, gear cover/ 3x4mm BCS (2)                                                                                          |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)                                     |

### Ready-To-Race Model

|         |                                                                  |
|---------|------------------------------------------------------------------|
| 36254-8 | Stampede®: 1/10 Scale Monster Truck with TQ™ 2.4GHz radio system |
|---------|------------------------------------------------------------------|

### Rear Suspension

|           |                                                                                                                                                                   |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5116      | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                                                                                  |
| 1675      | Bushings, self-lubricating (5x11x4mm) (14)                                                                                                                        |
| 9194      | Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)                                  |
| 9150      | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)           |
| 9150-BLUE | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)            |
| 9150-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)            |
| 9150-GRN  | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)           |
| 9150-ORN  | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)          |
| 9150-RED  | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)             |
| 3638R     | Shock tower (rear) (for clipless body mounting)                                                                                                                   |
| 3655-BLK  | Suspension arms, black, front/rear (left & right), heavy duty (2)                                                                                                 |
| 3655-BLUE | Suspension arms, blue, front/rear (left & right), heavy duty (2)                                                                                                  |
| 3655-GRN  | Suspension arms, green, front/rear (left & right), heavy duty (2)                                                                                                 |
| 3655X     | Suspension arms, left & right                                                                                                                                     |
| 3655-ORN  | Suspension arms, orange, front/rear (left & right), heavy duty (2)                                                                                                |
| 3655-RED  | Suspension arms, red, front/rear (left & right), heavy duty (2)                                                                                                   |
| 9142      | Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) |
| 3640      | Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit®)                               |

### Shock Oil

|      |                                              |
|------|----------------------------------------------|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |

## Page 5 Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Parts List

|       |                                                                                                                           |
|-------|---------------------------------------------------------------------------------------------------------------------------|
| 5036  | Oil, shock (70 wt, 900 cSt, 60cc) (silicone)                                                                              |
| 5037  | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)                                                                            |
| 5029  | Shock oil bottle (60cc) (for mixing shock oil)                                                                            |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038  | Spinning carousel rack                                                                                                    |

### Shocks (Pro-level Aluminum)

|       |                                                                                                                               |
|-------|-------------------------------------------------------------------------------------------------------------------------------|
| 5862  | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)          |
| 2660  | Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)                  |
| 2662  | Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)        |
| 2669  | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)                             |
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)                                                    |
| 2742X | Rod ends, short (6)/ hollow balls (6)                                                                                         |
| 2667  | Shock caps, aluminum (2) (Big Bore Shocks)                                                                                    |
| 2362  | Shock rebuild kit (for 2 shocks)                                                                                              |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2)                                                              |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)                                                           |
| 1664  | Shock shafts, steel, chrome finish (long) (2)                                                                                 |
| 2656  | Shock shafts, steel, chrome finish (xx-long) (2)                                                                              |
| 1765  | Silicone diaphragms (4)                                                                                                       |
| 2668  | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 5860  | Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)                                                     |
| 5859  | Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)                                                      |

### Shocks (Ultra Shocks)

|       |                                                                                           |
|-------|-------------------------------------------------------------------------------------------|
| 3765A | Body, Ultra Shock (long) (grey) (2)                                                       |
| 3766A | Body, Ultra Shock (XXL) (grey) (2)                                                        |
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)                |
| 2742X | Rod ends, short (6)/ hollow balls (6)                                                     |
| 3767  | Shock caps (2)/ shock bottoms (2)                                                         |
| 8361  | Shock caps (black) (4) (assembled with hollow balls)                                      |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)                          |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)                         |
| 3767T | Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)                        |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)                          |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)                           |
| 2362  | Shock rebuild kit (for 2 shocks)                                                          |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2)                          |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)                       |
| 1664  | Shock shafts, steel, chrome finish (long) (2)                                             |
| 2656  | Shock shafts, steel, chrome finish (xx-long) (2)                                          |
| 3642  | Shoulder screws, Ultra Shocks (3x12) (6)                                                  |
| 1765  | Silicone diaphragms (4)                                                                   |
| 3769  | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)                               |
| 3768  | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))             |
| 3758  | Springs (front) (2)                                                                       |
| 3758T | Springs, blue (front) (2)                                                                 |
| 3757T | Springs, blue (rear) (2)                                                                  |
| 3758A | Springs, green (front) (2)                                                                |
| 3757A | Springs, green (rear) (2)                                                                 |
| 3758P | Springs, pink (front) (2)                                                                 |
| 3757P | Springs, pink (rear) (2)                                                                  |
| 3757  | Springs, rear (black) (2)                                                                 |
| 4957  | Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)                                 |
| 3758X | Springs, white (front) (2)                                                                |
| 3757X | Springs, white (rear) (2)                                                                 |
| 3760  | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)   |
| 3762  | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

|       |                                                                                          |
|-------|------------------------------------------------------------------------------------------|
| 3760A | Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)           |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

### Slipper Clutch Components

|       |                                                                                                          |
|-------|----------------------------------------------------------------------------------------------------------|
| 3793  | Input shaft (slipper shaft) / spring pin                                                                 |
| 5552A | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554  | Screws, 3x6mm caphead machine (hex drive) (6)                                                            |
| 5556  | Slipper pressure plate & hub (aluminum alloy)                                                            |

### Spur Gears & Pinion Gears

|      |                                                                                |
|------|--------------------------------------------------------------------------------|
| 3790 | Gear adapter, fixed                                                            |
| 2416 | Gear, 16-T pinion (48-pitch) / set screw                                       |
| 1918 | Gear, 18-T pinion (48-pitch) / set screw                                       |
| 2419 | Gear, 19-T pinion (48-pitch) / set screw                                       |
| 2421 | Gear, 21-T pinion (48-pitch) / set screw                                       |
| 2423 | Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw                      |
| 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw                                 |
| 4676 | Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) |
| 4683 | Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch) |
| 4686 | Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4690 | Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) |

### Steering Components

|       |                                                                                                                                                          |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2545  | Bushings (plastic) (5x8x2.5mm) (4)                                                                                                                       |
| 9195  | Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)                |
| 2742  | Rod ends, long (6)/ hollow ball connectors (6)                                                                                                           |
| 9189  | Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)                                  |
| 2336  | Turnbuckles, 78mm (2)                                                                                                                                    |
| 2336A | Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  |
| 2336X | Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) |

### Suspension Linkage

|       |                                                                                                                                                                   |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9195  | Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)                         |
| 9194  | Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)                                  |
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)                                                                                        |
| 2742  | Rod ends, long (6)/ hollow ball connectors (6)                                                                                                                    |
| 3642  | Shoulder screws, Ultra Shocks (3x12) (6)                                                                                                                          |
| 9142  | Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) |
| 9189  | Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)                                           |
| 3737A | Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2) (See part 3741A for complete camber link set)          |
| 3738A | Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)          |
| 3737  | Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2) (See part 3741X for complete camber link set)           |
| 3738  | Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)           |
| 1937  | Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)                                                                                              |
| 2336  | Turnbuckles, 78mm (optional rear camber rods) (2)                                                                                                                 |
| 3741A | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                                |
| 2336A | Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)           |
| 3741G | Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                               |

## Page 6 Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Parts List

|       |                                                                                                                                                         |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3741T | Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                    |
| 3741P | Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                      |
| 3741X | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench                       |
| 2336X | Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) |
| 3644  | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                                     |
| 3643  | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                                     |
| 3645  | Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)                                     |

### Team Traxxas Items

|      |                                                                           |
|------|---------------------------------------------------------------------------|
| 9916 | Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)          |
| 2514 | Decal sheet, racing sponsors                                              |
| 9917 | Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color)               |
| 9909 | Traxxas® racing banner, red & black (3x7 feet)                            |

### Tires & Wheels

|           |                                                                                                                                                |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------|
| 5116      | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                                                               |
| 1675      | Bushings, self-lubricating (5x11x4mm) (14)                                                                                                     |
| 5854      | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)                                                                         |
| 1747P     | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)                                                                                  |
| 3647      | Nuts, 4mm flanged nylon locking (steel, serrated) (8)                                                                                          |
| 1747      | Nuts, 4mm nylon locking (10)                                                                                                                   |
| 1747R     | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)                                                                                    |
| 1747G     | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)                                                                                   |
| 1747T     | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)                                                                                  |
| 1747A     | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)                                                                                     |
| 1985      | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)                                                                                   |
| 2754      | Stub axle pins (4)                                                                                                                             |
| 3689      | Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated)            |
| 3668A     | Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)             |
| 3669A     | Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated) |
| 3668      | Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)                                |
| 3669      | Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)                    |
| 3773A     | Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)               |
| 3773      | Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)                     |
| 3776A     | Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)  |
| 5576R     | Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)        |
| 6792      | Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)                                       |
| 3778      | Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)                       |
| 3663-BLK  | Tires & wheels, assembled, glued (black wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)                             |
| 3665-BLK  | Tires & wheels, assembled, glued (black wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)                |
| 3663-BLUE | Tires & wheels, assembled, glued (blue wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)                              |
| 3665-BLUE | Tires & wheels, assembled, glued (blue wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)                 |
| 3663X     | Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)                            |

|          |                                                                                                                                                                     |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3665X    | Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)                                    |
| 3663-GRN | Tires & wheels, assembled, glued (green wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)                                                  |
| 3665-GRN | Tires & wheels, assembled, glued (green wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)                                     |
| 3663-RED | Tires & wheels, assembled, glued (red wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)                                                    |
| 3665-RED | Tires & wheels, assembled, glued (red wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)                                       |
| 3663     | Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)                                           |
| 3665     | Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)                              |
| 5578     | Tires, Anaconda® 2.8" (2)/ foam inserts (2)                                                                                                                         |
| 1870     | Tires, Sledgehammer® terra-spiked (2)                                                                                                                               |
| 3671     | Tires, Talon 2.8" (2)/ foam inserts (2)                                                                                                                             |
| 1654X    | Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)                                                                                             |
| 3654     | Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)                                                                                                 |
| 1654     | Wheel hubs, hex (rear) (2)/ stub axle pins (2)                                                                                                                      |
| 1654R    | Wheel hubs, hex (steel) (2)/ axle pins (2)                                                                                                                          |
| 5853X    | Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD) |
| 5353     | Wheel nuts, splined, 17mm (blue-anodized) (4)                                                                                                                       |
| 5480X    | Wheel wrench, splined, 17mm                                                                                                                                         |
| 5576A    | Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)                                                                                              |
| 3672     | Wheels, chrome (2.2") (rear) (2)                                                                                                                                    |
| 3673     | Wheels, chrome 2.2" (front) (2)                                                                                                                                     |
| 3674     | Wheels, dyable nylon 2.2" (rear) (2)                                                                                                                                |
| 3675     | Wheels, dyeable nylon 2.2 (front) (2)                                                                                                                               |

### Transmission Components

|       |                                                                                                               |
|-------|---------------------------------------------------------------------------------------------------------------|
| 5116  | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                              |
| 3792  | Cover, gear/ rubber gear cover plug/ 3x6 RM (2)                                                               |
| 5478  | Flat wrench, 8mm (blue anodized aluminum)                                                                     |
| 3790  | Gear adapter, fixed                                                                                           |
| 3691  | Gearbox halves (L&R) (black) w/ idler gear shaft                                                              |
| 3691A | Gearbox halves (L&R) (grey) w/ idler gear shaft                                                               |
| 5148  | Grease, white lithium                                                                                         |
| 9492  | Idler gear, 30-tooth/ idler gear shaft (steel)                                                                |
| 3696  | Idler gear, steel (30-tooth)                                                                                  |
| 9494  | Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) |
| 3793  | Input shaft (slipper shaft) / spring pin                                                                      |
| 2381X | Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)                       |
| 1552  | Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench                                                          |
| 2382  | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel            |
| 2388X | Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)               |
| 5552A | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))      |
| 2554  | Screws, 3x6mm caphead machine (hex drive) (6)                                                                 |
| 3185X | Screws, 3x8mm washerhead machine (large head for motor mount) (6)                                             |
| 5556  | Slipper pressure plate & hub (aluminum alloy)                                                                 |
| 3195  | Top drive gear, steel (22-tooth)                                                                              |

### Traxxas Tools

|       |                                                                                                                                                                                                                 |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3433X | Body reamer (aluminum handle)                                                                                                                                                                                   |
| 3433  | Body reamer (plastic handle)                                                                                                                                                                                    |
| 3436  | Cap, body reamer                                                                                                                                                                                                |
| 3425  | Rubber pit mat, 16x24x0.28                                                                                                                                                                                      |
| 3426  | Rubber pit mat, 36x20                                                                                                                                                                                           |
| 3432  | Scissors, curved tip                                                                                                                                                                                            |
| 3431  | Scissors, straight tip                                                                                                                                                                                          |
| 8712  | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| 8720  | Speed bit handle, large (overmolded)                                                                                                                                                                            |
| 8721  | Speed bit handle, medium (one piece)                                                                                                                                                                            |
| 8722  | Speed bit handle, premium (rubber overmold)                                                                                                                                                                     |

## Page 7 Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Parts List

|       |                                                                                                                                                                                                                                                                 |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8710  | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8711  | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive                                                 |
| 8719  | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive                                                                                               |
| 8716  | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive                                                                                                                                                                                          |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive                                                                                                                                                                                    |
| 8715  | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive                                                                                                                                                                                   |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive                                                                                                                                                                            |
| 8714  | Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive                                                                                                                                                       |
| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)                                                                                                                                      |
| 3415  | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)   |

### Turnbuckles & Threaded Rods

|       |                                                                                                                                                          |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)                                                                               |
| 5525R | Rod ends, heavy duty (Jato®/Slayer) (8)                                                                                                                  |
| 2742  | Rod ends, long (6)/ hollow ball connectors (6)                                                                                                           |
| 5347  | Rod ends, Revo® (large) with hollow balls (12)                                                                                                           |
| 2742X | Rod ends, short (6)/ hollow balls (6)                                                                                                                    |
| 3737A | Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)   |
| 3738A | Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) |
| 3737  | Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)   |
| 3738  | Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)  |
| 1937  | Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)                                                                                     |
| 2336  | Turnbuckles, 78mm (optional rear camber rods) (2)                                                                                                        |
| 3741A | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                       |
| 2336A | Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  |
| 3741G | Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                      |
| 3741T | Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                     |
| 3741P | Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench                       |
| 3741X | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench                        |
| 2336X | Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  |
| 3645  | Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)                                      |

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail [support@Traxxas.com](mailto:support@Traxxas.com)

**TRAXXAS.COM**