



T-Maxx® (Model 49077-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Air Filters

5262	Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled, assembled) (use with #5266 filter body) (TRX® 2.5, 2.5R, 3.3)
5267	Air filter body (high-volume)/ filter support/ cap/ foam filter, pre-filter/ filter base (angled)/wire mount/hardware (1 each) (Fits Maxx® trucks)
5263	Air filter oil

Bearings & Bushings

4611	Ball bearings (5x11x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3170X	Battery holder, 4-cell / on-off switch
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
4914R	Body mount posts, front (2)/ body mount, rear/ body mount screw pins (4)
1815	Body washers (8)
4915	Body washers, foam adhesive (10)
4921	Body, T-Maxx® (long wheelbase) (clear, requires painting)/ window, lights decal sheet
4921X	Body, T-Maxx®, ProGraphix® (long wheelbase) (replacement for painted body. Graphics are painted- requires paint and final color application)/ decal sheet
2514	Decal sheet, racing sponsors
4920X	Decal sheets, T-Maxx® 3.3 (long wheelbase) (model 4908)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
4977	Wheelie bar frame (1)
4975	Wheelie bar, assembled (fits all T-Maxx®/E-Maxx® trucks)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Brake Components

4966	Brake adapter, hex aluminum (blue)
4967	Brake cam (blue)/ cam lever/ 3mm grub screw
5364X	Brake disc (high performance, vented)
5364	Brake disk (40mm steel)
5365A	Brake pad set (inner and outer calipers with bonded friction material)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo® brake bolts) (6)

Bumpers & Skidplates

3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8)
4936	Bumper mounts, front (l&r)/ bumper mounts, rear (l&r)/ 3x12mm RHM screws (8)
4935	Bumpers, satin finished (F&R)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
4937A	Skidplate, front plastic (grey)/ stainless steel plate
4937	Skidplate, front plastic/ stainless steel plate (black)
4938A	Skidplate, rear plastic (grey)/ stainless steel plate
4938	Skidplate, rear plastic/ stainless steel plate (black)
4969	Skidplate, transmission, nylon (grey) (for long wheelbase chassis)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
4977	Wheelie bar frame (1)
4975	Wheelie bar, assembled (fits all T-Maxx®/E-Maxx® trucks)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)

Chassis & Attachments

3170X	Battery holder, 4-cell / on-off switch
4925X	Box, battery (grey)/ adhesive foam chassis pad/charge jack plug (rubber)
5159	Box, receiver (upper and lower halves)/ clip (1)/ foam pad
4963	Chassis braces, lower (black) (for long wheelbase chassis) (2)
5122X	Chassis, T-Maxx®, long wheelbase (extended 30mm) (6061-T6 aluminum, 4.0mm) (blue anodized)
5167	Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
4977	Wheelie bar frame (1)
4975	Wheelie bar, assembled (fits all T-Maxx®/E-Maxx® trucks)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)

Clutch & Related Parts

4611	Ball bearings (5x11x4mm) (2)
4120	Clutch bell (20-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part 4611)
4122	Clutch bell (22-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part 4611)
4124	Clutch bell, (24 tooth) / 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))
4146X	Clutch shoes (2)/ spring
3281	Cone, split beveled
1633	E-clips/ C-rings
6542X	Flywheel (large, knurled for use with starter boxes)
5244	Flywheel nut (TRX® 2.5 and 2.5R)
6542	Flywheel with magnet (35mm)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
5382X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)
3979	Housings, differential (left & right)/ pinion collar (1)
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt) (1.7 oz (50cc))
5136	Oil, differential (30K wt) (1.7 oz (50cc))
5039	Oil, differential (500K wt) (0.7 oz (20cc))
5137	Oil, differential (50K wt) (1.7 oz (50cc))
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
3965	Screws, 2.5x8mm cap-head machine (6)

Driveline Components

5334	Axle carriers, left & right (1 each)
5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5459	Boots, driveshaft (rubber) (2)
5153	Drive cups, inner (2) Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx (steel constant-velocity driveshafts)/screw pin, M4/15 (2)
5451X	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1)
5154	Driveshaft, steel constant-velocity, Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx (shaft only, 128.5mm)/ drive cup pin (1)
5451R	Driveshafts, Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity) (assembled w/inner & outer dust boots) (for models w/ 6mm axles) (4)
5150	E-clips, 1.5mm (24)
5456	Half shafts, center (internal splined (2)/ external splined (2)) (plastic parts only)
4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2)
4954X	Hex wheel hubs, 6061 T-6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
4954R	Hex wheel hubs, steel (2)/ axle pins (2.5x12mm) (2)
4955	Pins, axle (2.5x12mm) (4)
5129	Rebuild kit (for Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx steel constant-velocity driveshafts) (includes pins, dustboots, & lube for 2 driveshafts assemblies)
5145	Screw pin, 4x15mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)
5454	Stub axle (steel) (2)
5166	Stub axle, (1)/ axle sleeve (1) Revo®/T-Maxx®/E-Maxx (steel constant-velocity driveshaft)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G	Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
5457	Yoke, brake (1)/ torque pins (2)/Screw Pin 4x15(1)
5458X	Yokes, differential and transmission (2)/ 4x15mm screw pins (2)
5453	Yokes, stub axle (2)/ pins (2)

Engine & Servo Mounts

5160	Engine mount, aluminum/ 3x10 CS with washers (8)
4960X	Engine mount, machined 6061-T6 aluminum (blue)/ (w/ screws) (Maxx® series)
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
4919A	Servo mount, throttle/brake (grey)
4918X	Servo mounts, steering/ shift (machined aluminum) (blue) (f&r)/ machine screws (8)
4918A	Servo mounts, steering/shift (f&r)(grey)

Engine Components

5238R	Cooling head, PowerTune (machined aluminum, blue- anodized) (TRX® 3.3), head protector (1), 3x6mm CCS (5)
4859	CS 3x10 flathead (hex drive)
3232X	Glow plug, super-duty (long-medium)/gasket
5228	Head protector, cooling head (1)/3x6mm CCS (5) (TRX® 3.3)
5290	Piston/Sleeve (Matched Set), Wrist Pin Clips(2) (TRX® 3.3)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX® 2.5, 2.5R, 3.3)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
5277	Shaft, starter (TRX® 2.5 & 2.5R)
5170	Starter, recoil (complete with screws) (TRX® 2.5)

Exhaust

3155	Cable ties, medium black (6)
4961	Hanger, metal wire (for Resonator® pipe in T-Maxx® with long wheelbase)/ telemetry sensor wire hold-down clip
5140	Header, aluminum (T-Maxx®) (for rear exhaust engines only) (TRX 2.5, 2.5R, 3.3)
3296	Inlet Fittings (2)
5256	O-ring, header 12.2x1mm (TRX® 2.5)
5246	Pipe coupler, molded (for use with pipes 5152 (T Maxx) & 4452R) (TRX 2.5, 2.5R, 3.3)
2577	Screws, 3x10mm button-head machine (hex drive) (6)

5142	Screws, 3x15mm caphead machine (hex drive) (with split and flat washers) (6)
5487	Tuned pipe, Resonator, R.O.A.R. legal (aluminum, double-chamber) (fits T-Maxx® vehicles with TRX® Racing Engines)

EZ Start 2 & Related parts

4579	Connector, wiring harness (EZ-Start® and EZ-Start® 2)
5280	Control box (complete) (EZ-Start® 2)
5281	Control box battery cover w/ belt clip (EZ Start 2)
5273	Cush-drive elements (4) (EZ Start 2)
5270R	EZ-Start® 2, complete system with controller, drive unit, wiring harness
5276	Gear set (complete) (EZ-Start® 2)
5148	Grease, white lithium
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)
4581	Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)
4581X	Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)
5279	Motor (hi-torque)/ pinion gear/ motor bushing (EZ Start 2)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX® 2.5, 2.5R, 3.3)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
5282	Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
5277	Shaft, starter (TRX® 2.5 & 2.5R)

Front Suspension & Steering

4934X	Aluminum caps, pivot ball (blue-anodized) (4)
5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2)
3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8)
4930R	Bulkheads (l & r) (front) (grey)
5134	Caster spacers (4)/ shims (4)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard anodized 7075 T-6 aluminum (4)/ pivot ball cap (4)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
4859	Screws, 3x10 flathead machine (hex drive) (4)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
2070	Servo, digital high-torque (ball bearing)
4917R	Shock tower (for rectangular body posts)
4945	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer (requires 5x11 BB (2)
5132R	Suspension arms (lower) (2) (fits T-Maxx®/E-Maxx)
5131R	Suspension arms (upper) (2) (fits T-Maxx®/E-Maxx)
5161	Suspension screw pin set, hardened steel (hex drive)
5141A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)

Fuel Tank & Line

3147	Fuel line (1 foot)
3147X	Fuel line (610mm or 2ft)
4948	Fuel Tank (125cc)
4958	Fuel tank rebuild kit (contains cap, foam washer, o-ring, upper/lower retainers, screw, spring and screw pin)
3149A	Heat shield tubing, fiberglass (2) (black)

Fuel, Lubricants & Supplies

5263	Air filter oil
5001	Bottle, Fuel filler (500cc)
3232X	Glow plug, super-duty (long-medium)/gasket
5148	Grease, white lithium
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
5070	Top Fuel®, 20% Nitro (gallon)

5020 Top Fuel®, 20% Nitro (quart)
5080 Top Fuel®, 33% nitro (gallon)
5030 Top Fuel®, 33% nitro (quart)

Hardware

5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
 3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A Body clip (mounting clip), angled, 90-degrees (black) (10)
 1834 Body Clips (12) (standard size)
 3934 Body clips, heavy duty (12)
 3930 Bulkhead cross braces (2)/ 3x25mm CS screws (8)
 5150 E-clips, 1.5mm (24)
 1633 E-clips/ C-rings
5477 Flat wrench, 5mm (blue anodized aluminum)
5478 Flat wrench, 8mm (blue anodized aluminum)
 3980 Glow plug wrench (Universal wrench)
 2584 Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
 5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5475 Multi-tool (plastic)
 2745 Nuts, 3mm nylon locking (12)
4147X Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
 5147X Nuts, 5mm flanged nylon locking (steel, serrated) (8)
 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
 3981 PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 2742X Rod ends, short (6)/ hollow balls (6)
 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
 3965 Screws, 2.5x8mm cap-head machine (6)
 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
 2562 Screws, 2.6x8mm roundhead machine (6)
 3161 Screws, 2x8mm countersunk machine (6)
 4859 Screws, 3x10 flat-head machine (hex head) (4)
 2577 Screws, 3x10mm button-head machine (hex drive) (6)
 3159 Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
 5282 Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)
 2578 Screws, 3x12mm button-head machine (hex drive) (6)
 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
 2579 Screws, 3x15mm button-head machine (hex drive) (6)
 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
 5142 Screws, 3x15mm caphead machine (hex drive) (with split and flat washers) (6)
 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
 2580 Screws, 3x20mm button-head machine (hex drive) (6)
4978 Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo® brake bolts) (6)
 2554 Screws, 3x6mm caphead machine (hex drive) (6)
 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
 2576 Screws, 3x8mm button-head machine (hex drive) (6)
 2550 Screws, 3x8mm countersunk machine (6) (hex drive)
 4897 Screws, set (grub) 4mm (6) (w/ threadlock)
 2743 Set (grub) screws, 3mm hardened (12)
 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
 3982 Washer, PTFE-coated 6x8x0.5 (10)
 2746 Washers, 3x6mm metal (12)
 4147 Wheel nuts, 5mm nylon locking (8)

Manuals

5299R Engine Manual, TRX® 2.5, 2.5R, 3.3

Radio System, Batteries & Chargers

2919 1800mAh 7.2V 6-cell flat NiMH Battery, Power Cell
 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 Battery, Power Cell AA Alkaline (4)
3037 Battery, RX Power Pack (5-cell hump style, NiMH, 1200mAh)
 2977 Charger, D/C, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
6525 Communication link, telemetry expander
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
 2010 Gear set (for 2018 servo)
 2072A Gear set (for 2070, 2075 servos)
6556 Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all T-Maxx®/E-Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
 6536 Mounts, RPM sensor (nitro engines)/ 3x10 CS with split and flat washers (2)

6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
 6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
 6521 Sensor, temperature and voltage (long)
 2071 Servo case (for 2070 servo)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
 2070 Servo, digital high-torque (ball bearing)
2075 Servo, digital high-torque (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
 6511 Traxxas® Link Bluetooth® module
3034 Wiring harness for RX Power Pack, Traxxas® nitro vehicles except Revo® (includes on/off switch and charge jack)
 2734 Zip Ties (small)

Ready-To-Race Model

49077-3 T-Maxx® 3.3: 1/10 Scale Nitro-Powered 4WD Maxx® Monster Truck with TQi™ 2.4GHz Radio System, Traxxas Link™ Wireless Module, and Traxxas Stability Management (TSM)®

Rear Suspension

4934X Aluminum caps, pivot ball (blue-anodized) (4)
 5334 Axle carriers, left & right (1 each)
5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
 4914R Body mount posts, front (2)/ body mount, rear/ body mount screw pins (4)
 3930 Bulkhead cross braces (2)/ 3x25mm CS screws (8)
 4929R Bulkheads (l & r) (rear) (grey)
 5134 Caster spacers (4)/ shims (4)
 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
 5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
 4933 Pivot balls (4)/ pivot ball cap bushings (4)
4933X Pivot balls, hard anodized 7075 T-6 aluminum (4)/ pivot ball cap (4)
 5347 Rod ends, Revo® (large) with hollow balls (12)
5348 Rod ends, Revo® (large, for rear toe link only) (4)
 4917R Shock tower (for rectangular body posts)
 5132R Suspension arms (lower) (2) (fits T-Maxx®/E-Maxx)
 5131R Suspension arms (upper) (2) (fits T-Maxx®/E-Maxx)
 5161 Suspension screw pin set, hardened steel (hex drive)
 4956 Tie bar, rear (1) /3x18mm BCS (2) (fits T-Maxx®/E-Maxx)
5143A Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143R Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
 5143 Turnbuckles, toe links (5.0mm steel) (rear) (2)

Recoil Starter

5277 Shaft, starter (TRX® 2.5 & 2.5R)
5170 Starter, recoil (complete with screws) (TRX® 2.5)

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)

5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

4962 Big Bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled) w/ red springs, TiN shafts (8 pack)
2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
3962 Grub screws, 3x25mm (8)/ 3mm nylon locknuts (8)
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
2667 Shock caps, aluminum (2) (Big Bore Shocks)
2362 Shock rebuild kit (for 2 shocks)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
 1765 Silicone diaphragms (4)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
4649R Springs, red (for big bore shocks) (2.5 rate) (2)

Shocks (Ultra Shocks)

3766A Body, Ultra Shock (XXL) (grey) (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 3767 Shock caps (2)/ shock bottoms (2)
3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362 Shock rebuild kit (for 2 shocks)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
 1765 Silicone diaphragms (4)
 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
4957R Springs, progressive rate (for Ultra-Shocks only) (f/r) (4)
 3757R Springs, rear (red) (2.9 rate) (2)
 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
 3762A Ultra shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2)

Slipper Clutch Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5478 Flat wrench, 8mm (blue anodized aluminum)
 5366 Input shaft, transmission (slipper shaft)
5352T Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
 5352A Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
 2554 Screws, 3x6mm caphead machine (hex drive) (6)
 5351 Slipper pressure plate and hub (alloy)

Spur Gears

3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3957 Spur gear, 56-tooth (0.8 metric pitch, compatible with 32-pitch)
 3958 Spur gear, 58-tooth (0.8 metric pitch, compatible with 32-pitch)
3959 Spur gear, 62-tooth (0.8 metric pitch, compatible with 32-pitch)

Steering Components

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
 4944 Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2)
 2072A Gear set (for 2070, 2075 servos)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 2579 Screws, 3x15mm button-head machine (hex drive) (6)
5345X Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
 5345R Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

4918X Servo mounts, steering/ shift (machined aluminum) (blue) (f&r)/ machine screws (8)
 4918A Servo mounts, steering/shift (f&r)(grey)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
 2070 Servo, digital high-torque (ball bearing)
2075 Servo, digital high-torque (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
 4945 Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer (requires 5x11 BB (2))

Suspension Linkage

1633 E-clips/ C-rings
 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 2742X Rod ends, short (6)/ hollow balls (6)
 3744 Servo saver w/ adapters
 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
 5161 Suspension screw pin set, hardened steel (hex drive)
5141A Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143A Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141R Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143R Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
 5141 Turnbuckles, toe links (5.0mm steel) (front) (2)
 5143 Turnbuckles, toe links (5.0mm steel) (rear) (2)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Throttle & Brake Linkage

4967 Brake cam (blue)/ cam lever/ 3mm grub screw
 3182 Collars, screw (2)/ grub screws, 3mm (2)
 3147X Fuel line (610mm or 2ft)
 3180 Guide, rod (2)/ nuts (2)
 4182 Servo horn, throttle-brake/ shift (1)
 5167 Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM
 5168 Slide carb linkage set (throttle link, brake link, and hardware)
 3184 Spring, throttle (3)
 4056 Spring, throttle return (2) (Jato®, T-Maxx® 2.5R, 3.3)

Tires & Wheels

4954 Hex wheel hubs (2)/ axle pins (2.5x12mm) (2)
4954X Hex wheel hubs, 6061 T-6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
4954R Hex wheel hubs, steel (2)/ axle pins (2.5x12mm) (2)
4147X Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
 5147X Nuts, 5mm flanged nylon locking (steel, serrated) (8)
 4955 Pins, axle (2.5x12mm) (4)
5666 Sidewall protector, beadlock-style (blue) (2)/ 2.5x8mm CS (24)
5664 Sidewall protector, beadlock-style (green) (2)/ 2.5x8mm CS (24)
5667 Sidewall protector, beadlock-style (red) (2)/ 2.5x8mm CS (24)
5374X Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM® rated)
5374 Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series)
5674 Tires & wheels, assembled, glued (Geode chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5672 Tires & wheels, assembled, glued (Geode chrome wheels, paddle tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM® rated)
 4973R Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5174A Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Maxx® w/sealed pivot ball suspension & Revo®)

4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx) (TSM rated)
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx®/Revo® series)
5174R	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)
5173	Tires & wheels, assembled, glued (SS (Split-Spoke) chrome wheels, Maxx® Chevron tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5375R	Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/T-Maxx®/E-Maxx)
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5171	Tires, T-Maxx® 3.8" (2) (fits Revo®/Maxx® series)
5370	Tires, Talon 3.8" (2), foam inserts (2)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G	Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5371	Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5372X	Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5671	Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5373	Wheels, Hurricane 3.8" (chrome) (2)
5172A	Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)
5172X	Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo®/Maxx® series)

Transmission Components

4611	Ball bearings (5x11x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5394X	Forward only conversion kit (eliminates reverse)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5181	Gearbox halves (F&R)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued
5366	Input shaft, transmission (slipper shaft)
5394	Output Shaft, Steel, Transmission, Forward Only
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm PTFE-coated washer
3981	PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
4995X	Reverse upgrade kit (includes all components to add mechanical reverse (no Optidrive®) to T-Maxx® 3.3) (includes 2060 sub-micro servo)
1647	Silicone Grease
4983X	Transmission, complete (fits T-Maxx® 3.3)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)

3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
5141A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)
5143	Turnbuckles, toe links (5.0mm steel) (rear) (2)

Two-Speed Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5394X	Forward only conversion kit (eliminates reverse)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm PTFE-coated washer

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM