



Slayer® Pro 4X4 (Model 59076-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Air Filters

5262	Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled, assembled) (use with #5266 filter body) (TRX® 2.5, 2.5R, 3.3)
5266	Air filter body (high-volume)/ filter support/ cap/ foam filter, pre-filter/ Revo® air filter base (angled)/wire mount/hardware (1 each) (TRX® Engines)
5264	Air filter housing/ foam insert/ Revo®-Slayer air filter base (angled)/ cable tie (1-each) (TRX® 2.5, 2.5R, 3.3)
5261	Air filter inserts, foam (3) (pre-oiled) (TRX® 2.5)
5263	Air filter oil

Bearings & Bushings

4609	Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)
4611	Ball bearings (5x11x4mm) (2) (metal shielded, for clutch bell)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5115	Ball bearings, blue rubber shield (5x10x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
5121	Bearing, needle roller (6x10x8mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
4915	Body washers, foam adhesive (10)
5912	Body, Slayer Pro 4X4 (clear, requires painting)/ window mask/ decal sheet
2514	Decal sheet, racing sponsors
5913X	Decal sheets, Slayer Pro 4X4
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)

Brake Components

5388	Brake cam (1)/ sleeve (1)
5364X	Brake disc (high performance, vented)
5364	Brake disk (40mm steel)
5365A	Brake pad set (inner and outer calipers with bonded friction material)
5368	Linkage set, throttle & brake, Revo® (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo® brake bolts) (6)
5457	Yoke, brake (1)/ torque pins (2)/Screw Pin 4x15(1)

Bumpers & Skidplates

5935	Bumper, front/ bumper mount, front
5936	Bumper, rear/ brace, rear
5315	Guards, steering servo (2)
5923	Nerf bars, chassis (black)
5316	Roll hoop, plastic/ transmission skid guard, plastic
2589	Screws, 4x20mm button-head machine (hex drive) (6)
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)

Chassis & Attachments

5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
5324X	Box, receiver & battery (2)/ cover/ foam pad & adhesive/ charge jack plug (rubber)/ hardware (accommodates either AA battery holder or RX flat pack)
5323	Bulkhead tie bars, front & rear (blue anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red anodized aluminum)
5330	Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
5361	Chassis Brace, Revo® (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS
5322X	Chassis, Revo® 3.3 (extended 30mm) (3mm 6061 T-6 aluminum) (anodized blue)
5157	Cover plates and seals, for forward only transmission (Optidrive blank-out plate, Optidrive sensor cover, shift fork cover)

5325X	Electronics box, left/ box cover
5324	Electronics box, right/ box cover/ charge jack plug (rubber)/ foam padding and adhesive
5315	Guards, steering servo (2)
5923	Nerf bars, chassis (black)
5325R	Servo mount, throttle/ 4x10mm BCS (2)
5326	Servo mounts, steering (2)
5317	Shock mounts (front & Rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)

Clutch & Related Parts

4609	Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)
4611	Ball bearings (5x11x4mm) (2)
5214	Clutch bell (14-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
5215	Clutch bell (15-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)
5216	Clutch bell (16-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)
5217	Clutch bell (17-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
4146X	Clutch shoes (2)/ spring
3281	Cone, split beveled
1633	E-clips/ C-rings
6542X	Flywheel (large, knurled for use with starter boxes)
5244	Flywheel nut (TRX® 2.5 and 2.5R)
6542	Flywheel with magnet (35mm)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5914	Differential kit, center (complete for Slayer) (assembled with 100K oil)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
5382X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)
5380	Housings, differential (front & rear)
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt) (1.7 oz (50cc))
5136	Oil, differential (30K wt) (1.7 oz (50cc))
5039	Oil, differential (500K wt) (0.7 oz (20cc))
5137	Oil, differential (50K wt) (1.7 oz (50cc))
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
5381X	Spool, differential (eliminates differential. Use off-road only) (Requires #5379 ring gear)

Driveline Components

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5150	E-clips, 1.5mm (24)
5456	Half shafts, center front (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)
4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2)
4954X	Hex wheel hubs, 6061 T-6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
4954R	Hex wheel hubs, steel (2)/ axle pins (2.5x12mm) (2)
4955	Pins, axle (2.5x12mm) (4)
5145	Screw pin, 4x15mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)
5454	Stub axle (steel) (2)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm

Page 2 **Slayer® Pro 4X4: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 59076-3) Parts List**

5457	Yoke, brake (1)/ torque pins (2)/Screw Pin 4x15(1)
5458X	Yokes, differential and transmission (2)/ 4x15mm screw pins (2)
5453	Yokes, stub axle (2)/ pins (2)

Engine & Servo Mounts

5360X	Big block conversion kit (engine mount and required hardware, Forward Conversion Kit for Transmission)
5360	Engine mount (complete assembly)/ 3x28mm CS with washers (2)/ 3x10 CS with washers (10), ELW 3x6.5x.45 (3)
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
5325R	Servo mount, throttle/ 4x10mm BCS (2)
5326	Servo mounts, steering (2)

Engine Components

5238R	Cooling head, PowerTune (machined aluminum, blue- anodized) (TRX® 3.3), head protector (1), 3x6mm CCS (5)
5270R	EZ-Start® 2, complete system with controller, drive unit, wiring harness
3980	Glow plug wrench (Universal wrench)
3232X	Glow plug, super-duty (long-medium)/gasket
5228	Head protector, cooling head (1)/3x6mm CCS (5) (TRX® 3.3)
5290	Piston/Sleeve (Matched Set), Wrist Pin Clips(2) (TRX® 3.3)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX® 2.5, 2.5R, 3.3)
5277	Shaft, starter (TRX® 2.5 & 2.5R)
5170	Starter, recoil (complete with screws) (TRX® 2.5)

Exhaust

3155	Cable ties, medium black (6)
5346	Hanger, metal wire (for tuned pipe)/ 4mm GS (1)/ 4x10 BCS (1)
5254	Header spring/ gaskets (TRX® 2.5, 2.5R 3.3)
5340	Header, exhaust (tubular aluminum, silver-anodized) (TRX 2.5, 2.5R, 3.3)
5340X	Header, exhaust (tubular aluminum, silver-anodized)/ spring mount (TRX® 2.5, 2.5 R, 3.3)
5256	O-ring, header 12.2x1mm (TRX® 2.5)
5245X	Pipe coupler, molded (black)/ exhaust deflector (rubber, black)/ cable ties, long (2)/ cable ties, short (2)
5245	Pipe coupler, molded (blue)/ Exhaust deflector (rubber, blue)/ cable ties, long (2)/ cable ties, short (2)
5142	Screws, 3x15mm caphead machine (hex drive) (with split and flat washers) (6)
5342	Tuned pipe, aluminum, blue anodized (dual chamber with pressure fitting)/ 4mm GS
5493	Tuned pipe, Resonator®, R.O.A.R. legal (dual-chamber, enhances mid to high-rpm power) (for Revo® with TRX® Racing Engines)
5490	Tuned pipe, Resonator®, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Revo® with TRX® Racing Engines)

EZ Start 2 & Related parts

4579X	Connector, wiring harness (EZ-Start® and EZ-Start® 2)
5280	Control box (complete) (EZ-Start® 2)
5281	Control box battery cover w/ belt clip (EZ Start 2)
5273	Cush-drive elements (4) (EZ Start 2)
5270R	EZ-Start® 2, complete system with controller, drive unit, wiring harness
5276	Gear set (complete) (EZ-Start® 2)
5148	Grease, white lithium
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)
4581X	Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)
5279	Motor (hi-torque)/ pinion gear/ motor bushing (EZ-Start® 2)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX® 2.5, 2.5R, 3.3)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
5282	Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
5277	Shaft, starter (TRX® 2.5 & 2.5R)
5317	Wire clips, chassis (4)/ wire clip (1)/ Shock mounts (front & Rear)/ 3x32mm CS (4)

Front Suspension

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red anodized aluminum)
5330	Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)
5134	Caster spacers (4)/ shims (4)

5339	Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes(1) Left And (1) Right Threaded insert)
5495	Linkage, front sway bar (Revo®) (3x70mm turnbuckle) (2) (assembled with rod ends, hollow balls and ball stud)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard anodized 7075 T-6 aluminum (4)/ pivot ball cap (4)
5918X	Push rod (aluminum) (assembled with rod ends) (2) (use with progressive-2 rockers)
5918	Push rod (steel) (assembled with rod ends) (2) (use with progressive-2 rockers)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359	Rocker arm set, progressive-3 (90-T) (Slayer requires spacers 5133 or 5133A)
5354	Rocker Arm Stud
5354X	Rocker Arm Stud Aluminum
5189	Screw pins, 4x13mm (with threadlock) (4)
5133A	Spacer, pushrod (aluminum, blue) (use with progressive 3 rockers on Slayer) (8)
5133	Spacer, pushrod (aluminum, red) (use with progressive 3 rockers on Slayer) (8)
5932X	Suspension arm upper (1)/ suspension arm lower (1) (left front) (fits Slayer Pro 4x4)
5931X	Suspension arm upper (1)/ suspension arm lower (1) (right front) (fits Slayer Pro 4x4)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5998	Sway bar kit, Slayer (front and rear) (includes front and rear sway bars and adjustable linkage)
5496	Sway bar mounts (front & rear) (Revo®)/ sway bar wires (front & rear) (4)/ drill guide/ spacers
5939R	Toe links, Slayer (Tubes™ 7075-T6 aluminum, red) (88mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5939	Turnbuckles, toe links, 72mm (2) (assembled with rod ends and hollow balls)

Fuel Tank & Line

3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3147X	Fuel line (610mm or 2ft)
5363X	Fuel tank, 150cc (complete)
3149A	Heat shield tubing, fiberglass (2) (black)
5362	O-ring, fuel tank cap, (Revo®) (2)
5367	Pull ring (2), fuel tank cap (1)/ engine shut-off clamp (1)
5376	Rebuild kit, fuel tank (includes: mounting post, grommets (2), tank guard, mounting clips (2), cap o-ring, cap o-ring retainer, cap pull ring (2), spring, hardware)

Fuel, Lubricants & Supplies

5263	Air filter oil
5001	Bottle, Fuel filler (500cc)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
3232X	Glow plug, super-duty (long-medium)/gasket
5148	Grease, white lithium
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt) (1.7 oz (50cc))
5136	Oil, differential (30K wt) (1.7 oz (50cc))
5039	Oil, differential (500K wt) (0.7 oz (20cc))
5137	Oil, differential (50K wt) (1.7 oz (50cc))
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
5070	Top Fuel®, 20% Nitro (gallon)
5020	Top Fuel®, 20% Nitro (quart)
5080	Top Fuel®, 33% nitro (gallon)
5030	Top Fuel®, 33% nitro (quart)

Hardware

3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
3182	Collars, screw (2)/ grub screws, 3mm (2)
5150	E-clips, 1.5mm (24)
5477	Flat wrench, 5mm (blue anodized aluminum)
5478	Flat wrench, 8mm (blue anodized aluminum)
3980	Glow plug wrench (Universal wrench)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
2745	Nuts, 3mm nylon locking (12)
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)

Page 3 **Slayer® Pro 4X4: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 59076-3) Parts List**

5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4987	Rings, retainer (snap rings) (14mm) (2)
5144	Screw pin, 2.5x18mm (6)
5145	Screw pin, 4x15mm (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
2674	Screws, 2x6mm roundhead self-tapping (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
5282	Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
5142	Screws, 3x15mm caphead machine (hex drive) (with split and flat washers) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo® brake bolts) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
3963	Screws, 3x28mm cap-head machine (hex drive) (6)/ 3x6mm ELW (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
3964	Screws, 3x32mm cap-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
2589	Screws, 4x20mm button-head machine (hex drive) (6)
3940	Screws, 4x4 button-head machine, aluminum (blue) (hex drive) (6)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
4897	Screws, set (grub) 4mm (6) (w/ threadlock)
2743	Set (grub) screws, 3mm hardened (12)
3966	Shoulder screws, 3x10mm (6) (with threadlock)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
3982	Washer, PTFE-coated 6x8x0.5 (10)
4147	Wheel nuts, 5mm nylon locking (8)

Manuals

5999X	Owners manual, Slayer Pro 4x4
-------	-------------------------------

Radio System, Batteries & Chargers

2919	1800mAh 7.2V 6-cell flat NiMH Battery, Power Cell
3028	Adapter, Molex to Traxxas® receiver battery pack (for charging) (1)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
3036	Battery, RX Power Pack (5-cell flat style, GP cells, NiMH, 1200mAh)
2977	Charger, D/C, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2053	Gear set (for 2055, 2056 servos)
6556	Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all T-Maxx®/E-Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6536	Mounts, RPM sensor (nitro engines)/ 3x10 CS with split and flat washers (2)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6522	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1)
6521	Sensor, temperature and voltage (long)
2046	Servo connector, Y adapter (for dual-servo steering)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof

2056	Servo, high-torque, waterproof (blue case)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3035	Wiring harness for RX Power Pack, Revo® (includes on/off switch and charge jack)
2734	Zip Ties (small)

Ready-To-Race Model

59076-3	Slayer® Pro 4X4: 1/10-Scale Nitro-Powered 4WD Short Course Racing Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
---------	---

Rear Suspension

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red anodized aluminum)
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
5134	Caster spacers (4)/ shims (4)
5339	Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes (1) Left And (1) Right Threaded insert)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard anodized 7075 T-6 aluminum (4)/ pivot ball cap (4)
5918X	Push rod (aluminum) (assembled with rod ends) (2) (use with progressive-2 rockers)
5918	Push rod (steel) (assembled with rod ends) (2) (use with progressive-2 rockers)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359	Rocker arm set, progressive-3 (90-T) (Slayer requires spacers 5133 or 5133A)
5354	Rocker Arm Stud
5354X	Rocker Arm Stud Aluminum
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5348	Rod ends, Revo® (large, for rear toe link only) (4)
5189	Screw pins, 4x13mm (with threadlock) (4)
5133A	Spacer, pushrod (aluminum, blue) (use with progressive 3 rockers on Slayer) (8)
5133	Spacer, pushrod (aluminum, red) (use with progressive 3 rockers on Slayer) (8)
5934X	Suspension arm upper (1)/ suspension arm lower (1) (left rear) (fits Slayer Pro 4x4)
5933X	Suspension arm upper (1)/ suspension arm lower (1) (right rear) (fits Slayer Pro 4x4)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5998	Sway bar kit, Slayer (front and rear) (includes front and rear sway bars and adjustable linkage)
5496	Sway bar mounts (front & rear) (Revo®)/ sway bar wires (front & rear) (4)/ drill guide/ spacers
5939R	Toe links, Slayer (Tubes™ 7075-T6 aluminum, red) (88mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5939	Turnbuckles, toe links, 72mm (2) (assembled with rod ends and hollow balls)

Recoil Starter

5277	Shaft, starter (TRX® 2.5 & 2.5R)
5170	Starter, recoil (complete with screws) (TRX® 2.5)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)

Page 4 **Slayer® Pro 4X4: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 59076-3) Parts List**

5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

5466R	Bodies, GTR shock (hard-anodized, PTFE-coated aluminum) (4), with TiN shafts (4) (bodies and shafts only)
5467A	Body, GTR shock (aluminum, blue-anodized) (1)
5466X	Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks)
5463T	Shaft, GTR shock TiN-coated (2)
5460A	Shocks, GTR aluminum, blue-anodized bodies with TiN shafts (fully assembled w/o springs) (4)
5460R	Shocks, GTR aluminum, red-anodized bodies with TiN shafts (fully assembled w/o springs) (4)
5460X	Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)

Slipper Clutch Components

5478	Flat wrench, 8mm (blue anodized aluminum)
5366	Input shaft, transmission (slipper shaft)
5352T	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5351	Slipper pressure plate and hub (alloy)

Springs

5435	Spring, shock (GTR) (2.6 rate Yellow)
5436	Spring, shock (GTR) (2.9 rate white) (std. front 90mm)
5437	Spring, shock (GTR) (3.2 rate orange)
5438	Spring, shock (GTR) (3.5 rate green) (std. rear 90mm)
5439	Spring, shock (GTR) (3.8 rate gold)
5440	Spring, shock (GTR) (4.1 rate tan)
5441	Spring, shock (GTR) (4.4 rate black)
5940	Spring, shock (red) (GTR) (1.8 rate double green stripe) (1 pair)
5941	Spring, shock (red) (GTR) (2.0 rate double black stripe) (1 pair)
5942	Spring, shock (red) (GTR) (2.3 rate double purple stripe) (1 pair)

Spur Gears & Clutch Bells

5214	Clutch bell (14-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
5215	Clutch bell (15-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)
5216	Clutch bell (16-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)
5217	Clutch bell (17-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3953	Spur gear, 36-tooth (1.0 metric pitch)
3954	Spur gear, 38-tooth (1.0 Module)
3955	Spur gear, 40-tooth (1.0 Module)

Steering Components

5355X	Hollow ball set, aluminum Revo® (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5343X	Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469	Rod ends (GTR shocks)
5347	Rod ends, Revo® (large) with hollow balls (12)
5349	Rod ends, small, with hollow balls (6) (for Revo® steering linkage)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5344X	Servo saver spring, heavy duty (for use with metal-gear servos)
2070	Servo, digital high-torque (ball bearing)
5344	Steering arm (upper & lower)/ servo saver/ servo saver spring/ steering arm shaft
5939R	Toe links, Slayer (Tubes™ 7075-T6 aluminum, red) (88mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)

5939	Turnbuckles, toe links, 72mm (2) (assembled with rod ends and hollow balls)
------	---

Suspension Linkage

5355X	Hollow ball set, aluminum Revo® (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5339	Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes(1) Left And (1) Right Threaded insert)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5918X	Push rod (aluminum) (assembled with rod ends) (2) (use with progressive-2 rockers)
5469	Rod ends (GTR shocks)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Revo (large) with hollow balls (12) (For Tubes toe links only)
5348	Rod ends, Revo (large, for Tubes toe links only) (4)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5998	Sway bar kit, Slayer (front and rear) (includes front and rear sway bars and adjustable linkage)
5939R	Toe links, Slayer (Tubes™ 7075-T6 aluminum, red) (88mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5939	Turnbuckles, toe links, 72mm (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Throttle & Brake Linkage

5388	Brake cam (1)/ sleeve (1)
3182	Collars, screw (2)/ grub screws, 3mm (2)
5368	Linkage set, throttle & brake, Revo® (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
3966	Shoulder screws, 3x10mm (6) (with threadlock)
4046	Spring, throttle return (2) (Revo®/Slayer)

Tires & Wheels

4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2)
4954X	Hex wheel hubs, 6061 T-6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
4954R	Hex wheel hubs, steel (2)/ axle pins (2.5x12mm) (2)
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4955	Pins, axle (2.5x12mm) (4)
5976R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (front/rear)
5975A	Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (front/rear)
5975X	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (front/rear)
5977	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, inserts) (2) (front/rear)
5978	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock wheels, SCT off-road racing tires, foam inserts) (2) (front/rear)
5973	Tires & wheels, assembled, glued (SCT, satin chrome wheels, (dual profile 2.2" outer 3.0" inner), SCT off-road racing tires, foam inserts) (2)
6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)

Page 5 Slayer® Pro 4X4: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 59076-3) Parts List

5871R	Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5972A	Wheels, SCT satin chrome with red beadlock, dual profile (2.2" outer 3.0" inner) (2)
5974	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (front/rear) (2)

Transmission Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5388	Brake cam (1)/ sleeve (1)
5157	Cover plates and seals, forward only conversion (Revo®) (Optidrive® blank-out plate, Optidrive® sensor cover, shift fork cover)
5914	Differential kit, center (complete for Slayer) (assembled with 100K oil)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5391R	Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued
5366	Input shaft, transmission (slipper shaft)
5368	Linkage set, throttle & brake, Revo® (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
5394	Output Shaft, Steel, Transmission, Forward Only
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5996	Primary gear set (23T and 33T)/ 2x11.8mm pin/ pin retainer/ disc spring
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm PTFE-coated washer
5352T	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
3982	Washer, PTFE-coated 6x8x0.5 (10)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive

3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
------	---

Turnbuckles & Threaded Rods

5339	Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes(1) Left And (1) Right Threaded insert)
5918X	Push rod (aluminum) (assembled with rod ends) (2) (use with progressive-2 rockers)
5918	Push rod (steel) (assembled with rod ends) (2) (use with progressive-2 rockers)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5133A	Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5939R	Toe links, Slayer (Tubes™ 7075-T6 aluminum, red) (88mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5939	Turnbuckles, toe links, 72mm (2) (assembled with rod ends and hollow balls)

Two-Speed Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5396X	Primary gears, forward and reverse/ 2x11.8mm pin/ pin retainer/ disc spring
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm PTFE-coated washer

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM