



## Ford® Fiesta® ST Rally (Model 74276-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

|       |                                                              |
|-------|--------------------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2)           |
| 5117A | Ball bearings, black rubber sealed (6x12x4mm) (2)            |
| 5119  | Ball bearings, blue rubber sealed (10x15x4mm) (2)            |
| 5120  | Ball bearings, blue rubber sealed (12x18x4mm) (2)            |
| 5116  | Ball bearings, blue rubber sealed (5x11x4mm) (2)             |
| 5117  | Ball bearings, blue rubber sealed (6x12x4mm) (2)             |
| 5118  | Ball bearings, blue rubber sealed (8x16x5mm) (2)             |
| 5114  | Ball bearings, blue rubber shield (5x8x2.5mm) (2)            |
| 1985  | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |

### Body & Accessories

|                  |                                                                                                                                                                       |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1926             | Antenna caps, vinyl (2)/ antenna spool                                                                                                                                |
| 1726             | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)                                                                                                           |
| 7434             | Body bumper, foam (low profile) (use with #7435 front skidplate)                                                                                                      |
| 7410             | Body reinforcement set, front (left & right)/ body posts, front (fits #7412 series bodies)                                                                            |
| <b>7412</b>      | <b>Body, Ford Fiesta® ST Rally (clear, requires painting)</b>                                                                                                         |
| <b>7418-BLUE</b> | <b>Body, Ford Fiesta® ST Rally Brushless, blue (painted, decals applied) (assembled with rear wing, body support, &amp; body mount latches for clipless mounting)</b> |
| <b>7418X</b>     | <b>Body, Ford Fiesta® ST Rally Brushless, ProGraphix® (graphics are printed, requires paint &amp; final color application)/ wing/ 3x8mm FCS (4)/ decal sheet</b>      |
| <b>7418-RED</b>  | <b>Body, Ford Fiesta® ST Rally Brushless, red (painted, decals applied) (assembled with rear wing, body support, &amp; body mount latches for clipless mounting)</b>  |
| 7427-GRN         | Body, Ford Fiesta® ST Rally VXL, green (painted, decals applied) (assembled with rear wing, body support, & body mount latches for clipless mounting)                 |
| 7427-ORNG        | Body, Ford Fiesta® ST Rally VXL, orange (painted, decals applied) (assembled with rear wing, body support, & body mount latches for clipless mounting)                |
| <b>7427X</b>     | <b>Body, Ford Fiesta® ST Rally VXL, ProGraphix® (graphics are printed, requires paint &amp; final color application)/ wing/ 3x8mm FCS (4)/ decal sheet</b>            |
| 7414             | Cross brace, body (with clipless latches)/ 3x15 BCS (4) (fits #7412 series bodies)                                                                                    |
| <b>2514</b>      | <b>Decal sheet, racing sponsors</b>                                                                                                                                   |
| <b>9950</b>      | <b>Official Team Traxxas® racing decal set(flag logo/ 6-color)</b>                                                                                                    |
| 7419             | Side trim (left & right)/ trim retainers (left & right) (fits #7412 series bodies)                                                                                    |
| 7413X            | Wing, Ford Fiesta® ST Rally (black)/ body posts, rear/ 3x8mm FCS (4) (fits #7412 series bodies)                                                                       |

### Center Driveline

|                  |                                                                                                                                      |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 5119A            | Ball bearings, black rubber sealed (10x15x4mm) (2)                                                                                   |
| 5119             | Ball bearings, blue rubber sealed (10x15x4mm) (2)                                                                                    |
| 5120             | Ball bearings, blue rubber sealed (12x18x4mm) (2)                                                                                    |
| 5116             | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                                                     |
| 5117             | Ball bearings, blue rubber sealed (6x12x4mm) (2)                                                                                     |
| <b>6893X</b>     | <b>Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b>    |
| <b>6893G</b>     | <b>Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b>  |
| <b>6893-ORNG</b> | <b>Bearing adapter, 6061-T6 aluminum (orange-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b> |
| <b>6893-RED</b>  | <b>Bearing adapter, 6061-T6 aluminum (red-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b>    |
| 7477             | Cover, gear/ wire retainer                                                                                                           |
| <b>6780</b>      | <b>Differential kit, center (complete) (aluminum carrier)</b>                                                                        |
| 6888             | Drive hub, center, rear (1)/ 4x3 GS (1)                                                                                              |
| 6888X            | Drive hub, front, hardened steel (1)/ screw pin (1)                                                                                  |
| 6855             | Driveshaft, center, 6061-T6 aluminum (blue-anodized) (214mm)                                                                         |
| <b>6855G</b>     | <b>Driveshaft, center, 6061-T6 aluminum (green-anodized) (214mm)</b>                                                                 |
| <b>6855-ORNG</b> | <b>Driveshaft, center, 6061-T6 aluminum (orange-anodized) (214mm)</b>                                                                |
| <b>6855R</b>     | <b>Driveshaft, center, 6061-T6 aluminum (red-anodized) (214mm)</b>                                                                   |
| 5148             | Grease, white lithium                                                                                                                |
| 6893R            | Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)                                                                            |
| 7460A            | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)                                                               |

|               |                                                                                                                                                         |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>s7460R</b> | <b>Motor mount, 6061-T6 aluminum (blue-anodized)</b>                                                                                                    |
| 7490          | Plate, motor                                                                                                                                            |
| <b>7490G</b>  | <b>Plate, motor, green</b>                                                                                                                              |
| <b>7490A</b>  | <b>Plate, motor, orange</b>                                                                                                                             |
| <b>7490R</b>  | <b>Plate, motor, red</b>                                                                                                                                |
| <b>5352T</b>  | <b>Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b> |
| <b>5352A</b>  | <b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>                       |
| 5552A         | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))                                                |
| 2575          | Screws, 3x6mm button-head machine (hex drive) (6)                                                                                                       |
| 2554          | Screws, 3x6mm caphead machine (hex drive) (6)                                                                                                           |
| 3932          | Screws, 3x6mm flat-head machine (hex drive) (6)                                                                                                         |
| 1647          | Silicone Grease                                                                                                                                         |
| <b>6878</b>   | <b>Slipper clutch, complete (for Slash 4x4)</b>                                                                                                         |
| 5556          | Slipper pressure plate & hub (aluminum alloy)                                                                                                           |
| <b>5351</b>   | <b>Slipper pressure plate and hub (alloy)</b>                                                                                                           |

### Chassis & Attachments

|              |                                                                                                                                             |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 3698         | Access plug, rubber (receiver box)                                                                                                          |
| 7426         | Battery hold-down (1)/ hold-down retainer, front & rear (1 each)                                                                            |
| <b>7426X</b> | <b>Battery hold-down, tall (1)/ hold-down retainer, front &amp; rear (1 each) (allows for installation of taller, multi-cell batteries)</b> |
| 7434         | Body bumper, foam (low profile) (use with #7435 front skidplate)                                                                            |
| 7417         | Body mounts, front & rear                                                                                                                   |
| 7424         | Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)                                                            |
| 7422         | Chassis                                                                                                                                     |
| <b>6730X</b> | <b>Chassis brace kit, blue (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>                                        |
| <b>6730G</b> | <b>Chassis brace kit, green (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>                                       |
| <b>6730A</b> | <b>Chassis brace kit, orange (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>                                      |
| <b>6730R</b> | <b>Chassis brace kit, red (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>                                         |
| 7420         | Clipless mounts, body (left & right) (for #7412 series bodies)                                                                              |
| 7477         | Cover, gear/ wire retainer                                                                                                                  |
| 7425         | Seal kit, receiver box (includes o-ring, seals, and silicone grease)                                                                        |
| 7435         | Skidplate, front (angled for higher ground clearance) (use with #7434 foam body bumper)                                                     |

### Differential Components

|              |                                                                                                                                                                          |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5119         | Ball bearings, blue rubber sealed (10x15x4mm) (2)                                                                                                                        |
| 5117         | Ball bearings, blue rubber sealed (6x12x4mm) (2)                                                                                                                         |
| 5118         | Ball bearings, blue rubber sealed (8x16x5mm) (2)                                                                                                                         |
| 5381         | Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW                                                                                                 |
| <b>6780</b>  | <b>Differential kit, center (complete) (aluminum carrier)</b>                                                                                                            |
| <b>5136X</b> | <b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>                                                                                                              |
| <b>6788</b>  | <b>Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b> |
| <b>6789</b>  | <b>Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b>  |
| 6882X        | Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)                                                                          |
| 6881         | Housings, differential, front                                                                                                                                            |
| 6880         | Housings, differential, rear                                                                                                                                             |
| 5379X        | Ring gear, differential/ pinion gear, differential                                                                                                                       |
| <b>5379R</b> | <b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)</b>                                                                                 |
| <b>6879R</b> | <b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)</b>                                                                                  |
| 6879         | Ring gear, differential/ pinion gear, differential (rear)                                                                                                                |
| 3965         | Screws, 2.5x8mm cap-head machine (6)                                                                                                                                     |
| 1647         | Silicone Grease                                                                                                                                                          |

### Driveline Components

|       |                                                    |
|-------|----------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119  | Ball bearings, blue rubber sealed (10x15x4mm) (2)  |
| 5120  | Ball bearings, blue rubber sealed (12x18x4mm) (2)  |
| 5117  | Ball bearings, blue rubber sealed (6x12x4mm) (2)   |

**Page 2 Ford® Fiesta® ST Rally: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 74276-4) Parts List**

|           |                                                                                                                                                                             |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7450      | Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install)                                         |
| 7451      | Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install)                                          |
| 6855      | Driveshaft, center, 6061-T6 aluminum (blue-anodized) (214mm)                                                                                                                |
| 6855G     | Driveshaft, center, 6061-T6 aluminum (green-anodized) (214mm)                                                                                                               |
| 6855-ORNG | Driveshaft, center, 6061-T6 aluminum (orange-anodized) (214mm)                                                                                                              |
| 6855R     | Driveshaft, center, 6061-T6 aluminum (red-anodized) (214mm)                                                                                                                 |
| 7455      | Driveshaft, center, plastic (black)/ screw pin                                                                                                                              |
| 9043      | Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)                                                                                                 |
| 5452X     | U-joints, driveshaft (carrier 4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (10)/ 3x6x0.5 MW (8)) (metal parts for 2 driveshafts) |

**Extreme HD Upgrade Kit**

|           |                                                                                                                                              |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------|
| 9050      | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)  |
| 9050X     | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)   |
| 9050-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)   |
| 9050G     | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)  |
| 9050T     | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050R     | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)    |
| 9032      | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)     |
| 9032X     | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)      |
| 9032-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)      |
| 9032G     | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)     |
| 9032T     | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)    |
| 9032R     | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)       |
| 9043      | Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)                                                                  |
| 9038      | Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)                                                               |
| 9038X     | Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)                                                                |
| 9038-GRAY | Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)                                                                |
| 9038G     | Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)                                                               |
| 9038T     | Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)                                                              |
| 9038R     | Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)                                                                 |
| 9039      | Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)                                                                |
| 9039X     | Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)                                                                 |
| 9039-GRAY | Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)                                                                 |
| 9039G     | Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)                                                                |
| 9039T     | Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)                                                               |
| 9039R     | Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)                                                                  |
| 9037      | Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                   |
| 9037X     | Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                    |
| 9037-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                    |

|       |                                                                                                                                                                              |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9037G | Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                   |
| 9037T | Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                  |
| 9037R | Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                     |
| 9042  | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)                                      |
| 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 9069  | Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)                                                         |

**Front Suspension & Steering**

|           |                                                                                                                                                                              |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6823      | Bulkhead tie bars, front & rear, aluminum (blue-anodized)                                                                                                                    |
| 6823G     | Bulkhead tie bars, front & rear, aluminum (green-anodized)                                                                                                                   |
| 6823-ORNG | Bulkhead tie bars, front & rear, aluminum (orange-anodized)                                                                                                                  |
| 6823R     | Bulkhead tie bars, front & rear, aluminum (red-anodized)                                                                                                                     |
| 7430X     | Bulkhead, front                                                                                                                                                              |
| 2545      | Bushings (plastic) (5x8x2.5mm) (4)                                                                                                                                           |
| 9032X     | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                      |
| 9032-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                      |
| 9032G     | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                     |
| 9032T     | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                    |
| 9032R     | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                       |
| 6845A     | Drag link, machined 6061-T6 aluminum (blue-anodized)                                                                                                                         |
| 6845G     | Drag link, machined 6061-T6 aluminum (green-anodized)                                                                                                                        |
| 6845T     | Drag link, machined 6061-T6 aluminum (orange-anodized)                                                                                                                       |
| 6845R     | Drag link, machined 6061-T6 aluminum (red-anodized)                                                                                                                          |
| 7450      | Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install)                                          |
| 7438      | Linkage, steering                                                                                                                                                            |
| 5529      | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)                                                                                                |
| 9038      | Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)                                                                                               |
| 9038X     | Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)                                                                                                |
| 9038-GRAY | Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)                                                                                                |
| 9038G     | Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)                                                                                               |
| 9038T     | Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)                                                                                              |
| 9038R     | Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)                                                                                                 |
| 6845X     | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering                                                                             |
| 9037      | Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                   |
| 9037X     | Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                    |
| 9037-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                    |
| 9037G     | Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                   |
| 9037T     | Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                  |
| 9037R     | Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                                                     |
| 6731      | Suspension arms, front/rear (left & right) (2)                                                                                                                               |
| 9042      | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)                                      |
| 9042X     | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 3139A     | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)                                       |

### Page 3 Ford® Fiesta® ST Rally: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 74276-4) Parts List

|       |                                                                                                                                          |       |
|-------|------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  | 2251  |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 2271  |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)   | 2074  |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  | 2075  |
| 7432  | Turnbuckles, camber link, 49mm (72mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                      | 2250  |
| 7433  | Turnbuckles, toe link, 47mm (77mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                         | 2255  |
|       |                                                                                                                                          | 2270  |
|       |                                                                                                                                          | 3350R |
|       |                                                                                                                                          | 3355R |

#### Hardware

|       |                                                                    |
|-------|--------------------------------------------------------------------|
| 1926  | Antenna caps, vinyl (2)/ antenna spool                             |
| 1726  | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)        |
| 1589  | Double-sided adhesive tape (25mm x 25mm)                           |
| 2745  | Nuts, 3mm nylon locking (12)                                       |
| 3647  | Nuts, 4mm flanged nylon locking (steel, serrated) (8)              |
| 1747  | Nuts, 4mm nylon locking (10)                                       |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)         |
| 1985  | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)       |
| 2742  | Rod ends, long (6)/ hollow ball connectors (6)                     |
| 2742X | Rod ends, short (6)/ hollow balls (6)                              |
| 3347  | Screws, 2.5x5mm button-head machine (hex drive) (6)                |
| 3215  | Screws, 2.5x6mm cap-head machine (hex drive) (6)                   |
| 3965  | Screws, 2.5x8mm cap-head machine (6)                               |
| 2577  | Screws, 3x10mm button-head machine (hex drive) (6)                 |
| 2578  | Screws, 3x12mm button-head machine (hex drive) (6)                 |
| 2552  | Screws, 3x12mm countersunk machine (6) (hex drive)                 |
| 2579  | Screws, 3x15mm button-head machine (hex drive) (6)                 |
| 2586  | Screws, 3x15mm cap-head machine (hex drive) (6)                    |
| 3646  | Screws, 3x15mm flat-head machine (hex drive) (6)                   |
| 2583  | Screws, 3x18 button-head machine (hex drive) (6)                   |
| 2580  | Screws, 3x20mm button-head machine (hex drive) (6)                 |
| 2591  | Screws, 3x23mm button-head machine (hex drive) (6)                 |
| 2582  | Screws, 3x30mm button-head machine (hex drive) (6)                 |
| 2592  | Screws, 3x40mm button-head machine (hex drive) (6)                 |
| 2575  | Screws, 3x6mm button-head machine (hex drive) (6)                  |
| 2534  | Screws, 3x6mm countersunk machine (6) (hex drive)                  |
| 3932  | Screws, 3x6mm flat-head machine (hex drive) (6)                    |
| 2576  | Screws, 3x8mm button-head machine (hex drive) (6)                  |
| 1552  | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench |
| 3931  | Screws, 3x8mm flat-head machine (hex drive) (6)                    |
| 3936  | Screws, 4x10mm button-head machine (hex drive) (6)                 |
| 3937  | Screws, 4x12mm button-head machine (hex drive) (6)                 |
| 2542  | Screws, 4x12mm countersunk machine (hex drive) (6)                 |
| 3938  | Screws, 4x14mm button-head machine (hex drive) (6)                 |
| 2546  | Screws, 4x15mm countersunk machine (hex drive) (6)                 |
| 2743  | Set (grub) screws, 3mm hardened (12)                               |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6)                 |
| 2754  | Stub axle pins (4)                                                 |
| 2746  | Washers, 3x6mm metal (12)                                          |

#### Motors & Electronics

|       |                                                                                                   |
|-------|---------------------------------------------------------------------------------------------------|
| 1726  | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)                                       |
| 2260  | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)                              |
| 3340  | Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s™                         |
| 2072A | Gear set (for 2070, 2075 servos)                                                                  |
| 2272  | Gear set, metal (for 2270 waterproof servo)                                                       |
| 2072R | Gear set, metal, high-speed (for 2070, 2075 servos)                                               |
| 3354R | Motor cover, endbell (Velineon® 3500)                                                             |
| 7460A | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)                            |
| 7460R | Motor mount, 6061-T6 aluminum (blue-anodized)                                                     |
| 3351R | Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 7490  | Plate, motor                                                                                      |
| 7490G | Plate, motor, green                                                                               |
| 7490A | Plate, motor, orange                                                                              |
| 7490R | Plate, motor, red                                                                                 |
| 3347  | Screws, 2.5x5mm button-head machine (hex drive) (6)                                               |
| 3932  | Screws, 3x6mm flat-head machine (hex drive) (6)                                                   |
| 2254  | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)                                    |
| 2253  | Servo case, aluminum (middle) (red-anodized) (for 2255 servo)                                     |

|       |                                                                                                                                                            |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2251  | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)                                                                       |
| 2271  | Servo case/ gaskets (for 2270 waterproof servo)                                                                                                            |
| 2074  | Servo case/gaskets (for 2056 and 2075 waterproof servos)                                                                                                   |
| 2075  | Servo, digital high-torque (ball bearing), waterproof                                                                                                      |
| 2250  | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof                                                                             |
| 2255  | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof                                                                            |
| 2270  | Servo, digital high-torque, metal gear (ball bearing), waterproof                                                                                          |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) |
| 3355R | VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)                                                                                     |

#### Radio System, Batteries & Chargers

|          |                                                                                                                      |
|----------|----------------------------------------------------------------------------------------------------------------------|
| 2923X    | 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell                                                                    |
| 2940X    | 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell                                                           |
| 2849X    | 4000mAh 11.1v 3-Cell 25C LiPo Battery                                                                                |
| 2950X    | 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell                                                           |
| 2872X    | 5000mAh 11.1v 3-Cell 25C LiPo Battery                                                                                |
| 2842X    | 5000mAh 7.4v 2-Cell 25C LiPo Battery                                                                                 |
| 2960X    | 5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell                                                           |
| 2844R    | 5200mAh 7.4v 2-cell 35C LiPo Battery                                                                                 |
| 2843X    | 5800mAh 7.4v 2-Cell 25C LiPo Battery                                                                                 |
| 2857X    | 6400mAh 11.1v 3-Cell 25C LiPo Battery                                                                                |
| 2869X    | 7600mAh 7.4v 2-Cell 25C LiPo Battery                                                                                 |
| 2976     | AC to DC adapter                                                                                                     |
| 2938X    | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)                         |
| 2943     | Battery charge indicators, green (4), grey (4), blue (4)                                                             |
| 2914     | Battery, Power Cell AA Alkaline (4)                                                                                  |
| 2970-2SR | Battery/Charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1)) |
| 2260     | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)                                                 |
| 2927R    | Charger, A/C, 500 mAh (7 cell, NiMH)                                                                                 |
| 2975     | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)                                                               |
| 2972     | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification                                           |
| 2973     | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification                                      |
| 2970     | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification                                          |
| 2981     | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification                                     |
| 6525     | Communication link, telemetry expander                                                                               |
| 6512     | Cover plate, Traxxas® Link Bluetooth® module                                                                         |
| 2978     | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)                                                                    |
| 2072A    | Gear set (for 2070, 2075 servos)                                                                                     |
| 2252     | Gear set, metal (for 2250, 2255 servos)                                                                              |
| 2272     | Gear set, metal (for 2270 waterproof servo)                                                                          |
| 2072R    | Gear set, metal, high-speed (for 2070, 2075 servos)                                                                  |
| 2968X    | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)                              |
| 2968     | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)                              |
| 6535     | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad                                                   |
| 6533     | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)                                                        |
| 3932     | Screws, 3x6mm flat-head machine (hex drive) (6)                                                                      |
| 6552     | Seal kit, expander box (includes o-ring, seals, and silicone grease)                                                 |
| 6526     | Sensor, auto-detectable, temperature                                                                                 |
| 6527     | Sensor, auto-detectable, voltage                                                                                     |
| 6520     | Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)                                                                        |
| 6521     | Sensor, temperature and voltage (long)                                                                               |
| 2254     | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)                                                       |
| 2253     | Servo case, aluminum (middle) (red-anodized) (for 2255 servo)                                                        |
| 2251     | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)                                 |
| 2271     | Servo case/ gaskets (for 2270 waterproof servo)                                                                      |
| 2074     | Servo case/gaskets (for 2056 and 2075 waterproof servos)                                                             |
| 2250     | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof                                       |
| 2255     | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof                                      |
| 2270     | Servo, digital high-torque, metal gear (ball bearing), waterproof                                                    |
| 2056     | Servo, high-torque, waterproof (blue case)                                                                           |
| 6538     | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)                        |
| 6540     | Telemetry trigger magnet, 5X2mm (1)                                                                                  |

|       |                                                                                                                                                           |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)                                      |
| 6507R | <b>TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)</b>                 |
| 6528  | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)                                                                  |
| 6529  | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)                                                                  |
| 6530  | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)                                                                  |
| 6511  | Traxxas® Link Bluetooth® module                                                                                                                           |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) |

### Ready-To-Race Model

|         |                                                                                                                                                        |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 74276-4 | Ford® Fiesta® ST Rally VXL: 1/10 Scale Brushless Rally Racer with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)® |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

### Rear Suspension

|           |                                                                                                                                                                              |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6823      | Bulkhead tie bars, front & rear, aluminum (blue-anodized)                                                                                                                    |
| 6823G     | Bulkhead tie bars, front & rear, aluminum (green-anodized)                                                                                                                   |
| 6823-ORNG | Bulkhead tie bars, front & rear, aluminum (orange-anodized)                                                                                                                  |
| 6823R     | Bulkhead tie bars, front & rear, aluminum (red-anodized)                                                                                                                     |
| 7429      | Bulkhead, rear                                                                                                                                                               |
| 9050      | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                  |
| 9050X     | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                   |
| 9050-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                   |
| 9050G     | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                  |
| 9050T     | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                 |
| 9050R     | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)                                    |
| 7451      | Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install)                                           |
| 2742      | Rod ends, long (6)/ hollow ball connectors (6)                                                                                                                               |
| 5529      | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)                                                                                                |
| 9039      | Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)                                                                                                |
| 9039X     | Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)                                                                                                 |
| 9039-GRAY | Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)                                                                                                 |
| 9039G     | Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)                                                                                                |
| 9039T     | Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)                                                                                               |
| 9039R     | Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)                                                                                                  |
| 6731      | Suspension arms, front/rear (left & right) (2)                                                                                                                               |
| 9042      | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)                                      |
| 9042X     | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 3139      | Turnbuckles (62mm) (front tie rods) (2)                                                                                                                                      |
| 7431      | Turnbuckles, camber link, 49mm (63mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                                                          |

### Shock Oil

|       |                                                                                                                           |
|-------|---------------------------------------------------------------------------------------------------------------------------|
| 5031  | Oil, shock (20 wt, 200 cSt, 60cc) (silicone)                                                                              |
| 5032  | Oil, shock (30 wt, 350 cSt, 60cc) (silicone)                                                                              |
| 5033  | Oil, shock (40 wt, 500 cSt, 60cc) (silicone)                                                                              |
| 5034  | Oil, shock (50 wt, 600 cSt, 60cc) (silicone)                                                                              |
| 5035  | Oil, shock (60 wt, 700 cSt, 60cc) (silicone)                                                                              |
| 5036  | Oil, shock (70 wt, 900 cSt, 60cc) (silicone)                                                                              |
| 5037  | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)                                                                            |
| 5029  | Shock oil bottle (60cc) (for mixing shock oil)                                                                            |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038  | Spinning carousel rack                                                                                                    |

### Shocks (GTR)

|           |                                                                                                                                             |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 7466X     | Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)                                                                                    |
| 7466      | Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)                                                                     |
| 7466G     | Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)                                                                    |
| 7466A     | Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)                                                                   |
| 7466R     | Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)                                                                      |
| 7467X     | Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)                                                                                 |
| 7467      | Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)                                                                  |
| 7467G     | Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)                                                                 |
| 7467A     | Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)                                                                |
| 7467R     | Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)                                                                   |
| 7468X     | Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))                |
| 7468      | Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 5475      | Multi-tool (plastic)                                                                                                                        |
| 5158      | Nuts, 2.5mm nylon locking (12)                                                                                                              |
| 7463      | Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)              |
| 5469      | Rod ends (GTR shocks)                                                                                                                       |
| 7464T     | Shaft, GTR long, TiN-coated (2)                                                                                                             |
| 7461      | Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                   |
| 7461G     | Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                  |
| 7461X     | Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)                                       |
| 7462-GRAY | Shocks, GTR xx-long (gray) (assembled) (2) (without springs)                                                                                |
| 7462      | Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                |
| 7462G     | Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                               |
| 7462-ORNG | Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                              |
| 7462-PINK | Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                |
| 7462-RED  | Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                 |
| 7462X     | Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)                                    |
| 8459      | Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)                                                                                       |
| 7440      | Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)                                                                                |
| 7441      | Spring, shock, white (GTR long) (0.653 rate green) (1 pair)                                                                                 |
| 7444      | Spring, shock, white (GTR long) (0.767 rate black) (1 pair)                                                                                 |
| 7445      | Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)                                                                                  |
| 7448      | Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)                                                                                  |
| 7442      | Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)                                                                             |
| 7443      | Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)                                                                              |
| 7446      | Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)                                                                              |
| 7447      | Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)                                                                               |
| 7449      | Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)                                                                               |

### Shocks (Pro-level Aluminum)

|       |                                                                                                                        |
|-------|------------------------------------------------------------------------------------------------------------------------|
| 5862  | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)   |
| 2660  | Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)           |
| 2662  | Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669  | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)                      |
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)                                             |
| 2742X | Rod ends, short (6)/ hollow balls (6)                                                                                  |
| 2667  | Shock caps, aluminum (2) (Big Bore Shocks)                                                                             |
| 2362  | Shock rebuild kit (for 2 shocks)                                                                                       |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2)                                                       |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)                                                    |
| 1664  | Shock shafts, steel, chrome finish (long) (2)                                                                          |
| 2656  | Shock shafts, steel, chrome finish (xx-long) (2)                                                                       |
| 1765  | Silicone diaphragms (4)                                                                                                |

|      |                                                                                                                               |
|------|-------------------------------------------------------------------------------------------------------------------------------|
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 6863 | Springs, front (progressive, +10% rate, pink) (2)                                                                             |
| 6864 | Springs, front (progressive, +20% rate, blue) (2)                                                                             |
| 6862 | Springs, front (progressive, -10% rate, green) (2)                                                                            |
| 6861 | Springs, front (progressive, -20% rate, orange) (2)                                                                           |
| 7458 | Springs, front (white) (progressive rate) (2)                                                                                 |
| 6867 | Springs, rear (progressive, +10% rate, pink) (2)                                                                              |
| 6868 | Springs, rear (progressive, +20% rate, blue) (2)                                                                              |
| 6866 | Springs, rear (progressive, -10% rate, green) (2)                                                                             |
| 6865 | Springs, rear (progressive, -20% rate, orange) (2)                                                                            |
| 7457 | Springs, rear (white) (progressive rate) (2)                                                                                  |

### Shocks (Ultra Shocks)

|       |                                                                                           |
|-------|-------------------------------------------------------------------------------------------|
| 3642  | Attachment screws, shock (3x12mm shoulder screws) (6)                                     |
| 3765A | Body, Ultra Shock (long) (grey) (2)                                                       |
| 3766A | Body, Ultra Shock (XXL) (grey) (2)                                                        |
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)                |
| 2742X | Rod ends, short (6)/ hollow balls (6)                                                     |
| 8361  | Shock caps (black) (4) (assembled with hollow balls)                                      |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)                          |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)                         |
| 3767T | Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)                        |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)                          |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)                           |
| 2362  | Shock rebuild kit (for 2 shocks)                                                          |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2)                          |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)                       |
| 1664  | Shock shafts, steel, chrome finish (long) (2)                                             |
| 2656  | Shock shafts, steel, chrome finish (xx-long) (2)                                          |
| 1765  | Silicone diaphragms (4)                                                                   |
| 3769  | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)                               |
| 3768  | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))             |
| 6863  | Springs, front (progressive, +10% rate, pink) (2)                                         |
| 6864  | Springs, front (progressive, +20% rate, blue) (2)                                         |
| 6862  | Springs, front (progressive, -10% rate, green) (2)                                        |
| 6861  | Springs, front (progressive, -20% rate, orange) (2)                                       |
| 7458  | Springs, front (white) (progressive rate) (2)                                             |
| 6867  | Springs, rear (progressive, +10% rate, pink) (2)                                          |
| 6868  | Springs, rear (progressive, +20% rate, blue) (2)                                          |
| 6866  | Springs, rear (progressive, -10% rate, green) (2)                                         |
| 6865  | Springs, rear (progressive, -20% rate, orange) (2)                                        |
| 7457  | Springs, rear (white) (progressive rate) (2)                                              |
| 3760  | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)   |
| 3762  | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)            |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  |

### Slipper Clutch Components

|           |                                                                                                                                                  |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 1552      | 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)                                                                                                |
| 5119A     | Ball bearings, black rubber sealed (10x15x4mm) (2)                                                                                               |
| 5116      | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                                                                 |
| 6893X     | Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)                       |
| 6893G     | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)                     |
| 6893-ORNG | Bearing adapter, 6061-T6 aluminum (orange-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)                    |
| 6893-RED  | Bearing adapter, 6061-T6 aluminum (red-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)                       |
| 6888      | Drive hub, center, rear (1)/ 4x3 GS (1)                                                                                                          |
| 6888X     | Drive hub, front, hardened steel (1)/ screw pin (1)                                                                                              |
| 6893R     | Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)                                                                                        |
| 5352T     | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352A     | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))                       |

|       |                                                                                                          |
|-------|----------------------------------------------------------------------------------------------------------|
| 5552A | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 6878  | Slipper clutch, complete (for Slash 4x4)                                                                 |
| 5556  | Slipper pressure plate & hub (aluminum alloy)                                                            |
| 5351  | Slipper pressure plate and hub (alloy)                                                                   |

### Spur Gears & Pinion Gears

|       |                                                                                                      |
|-------|------------------------------------------------------------------------------------------------------|
| 7477  | Cover, gear/ wire retainer                                                                           |
| 9090  | Gear adapter, fixed                                                                                  |
| 6746  | Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw                                         |
| 6747  | Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw                                         |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw          |
| 3919  | Gear, 12-T pinion (32-pitch)/ set screw                                                              |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw          |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw          |
| 6745  | Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw                                          |
| 6842  | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)                                     |
| 6843  | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)                                     |
| 6843R | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential) |
| 3956  | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)                                     |
| 6842X | Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)    |
| 3956X | Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)    |

### Steering Components

|       |                                                                                                  |
|-------|--------------------------------------------------------------------------------------------------|
| 2545  | Bushings (plastic) (5x8x2.5mm) (4)                                                               |
| 6845A | Drag link, machined 6061-T6 aluminum (blue-anodized)                                             |
| 6845G | Drag link, machined 6061-T6 aluminum (green-anodized)                                            |
| 6845T | Drag link, machined 6061-T6 aluminum (orange-anodized)                                           |
| 6845R | Drag link, machined 6061-T6 aluminum (red-anodized)                                              |
| 7438  | Linkage, steering                                                                                |
| 2742  | Rod ends, long (6)/ hollow ball connectors (6)                                                   |
| 1552  | Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench                              |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 7439  | Toe links, front (molded composite) (2)/ hollow balls (4) (77mm center to center)                |
| 2746  | Washers, 3x6mm metal (12)                                                                        |

### Suspension Linkage

|      |                                                                                                                     |
|------|---------------------------------------------------------------------------------------------------------------------|
| 6834 | Suspension pin set, complete (front and rear)                                                                       |
| 7431 | Turnbuckles, camber link, 49mm (63mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 7432 | Turnbuckles, camber link, 49mm (72mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 7433 | Turnbuckles, toe link, 47mm (77mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)    |

### Team Traxxas Items

|      |                                                                           |
|------|---------------------------------------------------------------------------|
| 9916 | Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)          |
| 2514 | Decal sheet, racing sponsors                                              |
| 9917 | Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color)               |
| 9909 | Traxxas® racing banner, red & black (3x7 feet)                            |

### Tires & Wheels

|           |                                                                                                       |
|-----------|-------------------------------------------------------------------------------------------------------|
| 5116      | Ball bearings, blue rubber sealed (5x11x4mm) (2)                                                      |
| 5854      | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)                                |
| 3647      | Nuts, 4mm flanged nylon locking (steel, serrated) (8)                                                 |
| 1985      | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)                                          |
| 1647      | Silicone Grease                                                                                       |
| 2754      | Stub axle pins (4)                                                                                    |
| 7473T     | Tires & wheels, assembled, glued (black wheels, gravel pattern tires, foam inserts) (2) (TSM® rated)  |
| 7473-GRAY | Tires & wheels, assembled, glued (gray wheels, gravel pattern tires, foam inserts) (2) (TSM® rated)   |
| 7473X     | Tires & wheels, assembled, glued (green wheels, gravel pattern tires, foam inserts) (2) (TSM® rated)  |
| 7473A     | Tires & wheels, assembled, glued (orange wheels, gravel pattern tires, foam inserts) (2) (TSM® rated) |
| 7473      | Tires & wheels, assembled, glued (white wheels, gravel pattern tires, foam inserts) (2) (TSM® rated)  |
| 7473R     | Tires & wheels, assembled, glued (white wheels, gravel pattern, S1 compound tires, foam inserts) (2)  |

|       |                                                                                                                      |
|-------|----------------------------------------------------------------------------------------------------------------------|
| 7471  | Tires, gravel pattern (2)/ foam inserts (2)                                                                          |
| 7471R | Tires, gravel pattern, S1 compound (2)/ foam inserts (2)                                                             |
| 9069  | Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles) |
| 7472X | Wheels, green (2)                                                                                                    |

### Traxxas Tools

|       |                                                                                                                                                                                                                                                                 |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3433X | Body reamer (aluminum handle)                                                                                                                                                                                                                                   |
| 3433  | Body reamer (plastic handle)                                                                                                                                                                                                                                    |
| 3436  | Cap, body reamer                                                                                                                                                                                                                                                |
| 3432  | Scissors, curved tip                                                                                                                                                                                                                                            |
| 3431  | Scissors, straight tip                                                                                                                                                                                                                                          |
| 8712  | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive                                                 |
| 8720  | Speed bit handle, large (overmolded)                                                                                                                                                                                                                            |
| 8721  | Speed bit handle, medium (one piece)                                                                                                                                                                                                                            |
| 8722  | Speed bit handle, premium (rubber overmold)                                                                                                                                                                                                                     |
| 8710  | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8711  | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive                                                 |
| 8719  | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive                                                                                               |
| 8716  | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive                                                                                                                                                                                          |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive                                                                                                                                                                                    |
| 8715  | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive                                                                                                                                                                                   |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive                                                                                                                                                                            |
| 8714  | Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive                                                                                                                                                       |
| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)                                                                                                                                      |
| 3415  | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)   |

### Turnbuckles & Threaded Rods

|       |                                                                                                                                          |
|-------|------------------------------------------------------------------------------------------------------------------------------------------|
| 5529  | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)                                                            |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)   |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)   |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  |
| 7431  | Turnbuckles, camber link, 49mm (63mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                      |
| 7432  | Turnbuckles, camber link, 49mm (72mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                      |
| 7433  | Turnbuckles, toe link, 47mm (77mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                         |

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**