



4-Tec® 2.0 Brushless AWD Chassis (Model 83124-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5105A	Ball bearings, black rubber sealed (6x10x3mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

8319	Body bumper, foam
1834	Body Clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
8315	Body mounts, front & rear (2)
8316	Body mounts, front & rear/ body mount posts/ body mount sliders
8317	Body washers, foam
8391	Body, Cadillac CTS-V (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)
8391A	Body, Cadillac CTS-V, blue (painted, decals applied)
8391X	Body, Cadillac CTS-V, silver (painted, decals applied)
8386	Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)
8386X	Body, Chevrolet Corvette Z06, blue (painted, decals applied)
8386A	Body, Chevrolet Corvette Z06, graphite (painted, decals applied)
8386R	Body, Chevrolet Corvette Z06, red (painted, decals applied)
8311	Body, Ford GT (clear, requires painting)/ decal sheet (includes tail lights, exhaust tips, & mounting hardware)
8311X	Body, Ford GT, black (painted, decals applied)
8311A	Body, Ford GT, blue (painted, decals applied)
8311R	Body, Ford GT, red (painted, decals applied)
8312	Body, Ford Mustang (clear, requires painting)/ window masks/ decal sheet
8312X	Body, Ford Mustang, black (painted, decals applied)
8312A	Body, Ford Mustang, grabber blue (painted, decals applied)
8312T	Body, Ford Mustang, orange (painted, decals applied)
8336	Bumper, rear (1)/ rear body mount (1)
8393	Decal sheet, Cadillac CTS-V
8387	Decal sheets, Chevrolet Corvette Z06
8392	Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips (4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3) (fits #8391 body)
8388	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS (self-tapping) (2) (fits #8386 body)
8314	Tail lights (2)/ tail light mounts (4) / exhaust tip (2)/ exhaust tip mount (1)/ 3x10 flathead screws (2)/ 3x8 BCS (2)

Brake Components

8367	Brake calipers (red), front (2)/ rear (2)
8356	Wheel hubs, hex (disk brake rotors) (4)

Center Driveline

7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
8330	Bulkhead, front
8329	Bulkhead, rear
8355X	Driveshaft, center, aluminum (blue-anodized)
8355	Driveshaft, center, aluminum / pin
8355G	Driveshaft, center, aluminum / pin, green
8355R	Driveshaft, center, aluminum / pin, red
8349	Driveshaft, center, steel/ pin
8381	Housing, differential (front)
8380	Housing, differential (rear)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)

Chassis & Attachments

8327-BLUE	Battery hold-down, 6061-T6 aluminum (blue-anodized)
8327-GRAY	Battery hold-down, 6061-T6 aluminum (gray-anodized)

8327-GRN	Battery hold-down, 6061-T6 aluminum (green-anodized)
8327-ORNG	Battery hold-down, 6061-T6 aluminum (orange-anodized)
8327-RED	Battery hold-down, 6061-T6 aluminum (red-anodized)
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
8319	Body bumper, foam
8324	Box, receiver (sealed)(steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
8335	Bumper, front (1 each, upper & lower)
8336	Bumper, rear (1)/ rear body mount (1)
8322	Chassis
8321	Chassis brace (front)
8321-BLUE	Chassis brace, front, 6061-T6 aluminum (blue-anodized)
8321-GRAY	Chassis brace, front, 6061-T6 aluminum (gray-anodized)
8321-GRN	Chassis brace, front, 6061-T6 aluminum (green-anodized)
8321-ORNG	Chassis brace, front, 6061-T6 aluminum (orange-anodized)
8321-RED	Chassis brace, front, 6061-T6 aluminum (red-anodized)
8323	Gear cover (rear chassis brace)

Differential Components

8330	Bulkhead, front
8329	Bulkhead, rear
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
8381	Housing, differential (front)
8380	Housing, differential (rear)
8379	Housing, spool / spool shaft/ bushing
5136	Oil, differential (30K wt) (1.7 oz (50cc))
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)
8353	Drive cups, inner (2)/ screw pins (2)
8355X	Driveshaft, center, aluminum (blue-anodized)
8355	Driveshaft, center, aluminum / pin
8355G	Driveshaft, center, aluminum / pin, green
8355R	Driveshaft, center, aluminum / pin, red
8349	Driveshaft, center, steel/ pin
8350	Driveshaft, front (2)
8351	Driveshaft, rear (2)
8350X	Driveshafts, steel constant-velocity (assembled), front (2)
8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
8382	O-rings (12)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8356	Wheel hubs, hex (disk brake rotors) (4)

Front Suspension & Steering

8330	Bulkhead, front
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	Camber links, steel, front (32mm) (2)
8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo saver horn, steering
8344X	Servo saver/ servo saver spring/ servo saver horn, steering
8338	Shock towers, front & rear
8343	Steering bellcranks/ hardware
8337	Steering block (2)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8333	Suspension arms, front (left & right)
8340	Suspension pin set, complete (front & rear)

Page 2 4-Tec® 2.0 Brushless AWD Chassis: TQ™ 2.4GHz Radio (Model 83124-4) Parts List

8338	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)	2985-2S	Battery/charger complete pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
8342	Toe links, steel (34mm) (2)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
Hardware		2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
1834A	Body clips, black (12) (standard size)	2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
4859	CS 3x10 flathead (hex drive)	2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
1633	E-clips/ C-rings	6525	Communication link, telemetry expander
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)	6512	Cover plate, Traxxas® Link Bluetooth® module
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	2072A	Gear set (for 2070, 2075 servos)
3236	Screws, 2.5x12mm cap-head machine (6)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
2577	Screws, 3x10mm button-head machine (hex drive) (6)	6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
2587	Screws, 3x10mm caphead machine (6) (no washer)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2551	Screws, 3x10mm countersunk machine (6) (hex drive)	2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	6519	Receiver, micro, TQ 2.4GHz (3-channel)
2593	Screws, 3x14mm button-head machine (hex drive) (6)	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
2579	Screws, 3x15mm button-head machine (hex drive) (6)	6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)	6526	Sensor, auto-detectable, temperature
LED Lights		6527	Sensor, auto-detectable, voltage
10590-BLUE	LED light set, blue, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)	6521	Sensor, temperature and voltage (long)
10590-GRN	LED light set, green, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
10590-RED	LED light set, red, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)	8344	Servo saver/ servo saver spring/ servo horn, steering
10590-WHT	LED light set, white, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
Motors & Electronics		2075	Servo, digital high-torque (ball bearing), waterproof
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
3383	BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s™	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
2072A	Gear set (for 2070, 2075 servos)	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
3384	Motor, BL-2s™ 3300, brushless	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
8390	Plate, motor	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
8344	Servo saver/ servo saver spring/ servo horn, steering	6511	Traxxas® Link Bluetooth® module
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	Rear Suspension	
2075	Servo, digital high-torque (ball bearing), waterproof	8329	Bulkhead, rear
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))	8348	Camber links, steel, rear (28mm) (2)
Radio System, Batteries & Chargers		8352	Carriers, stub axle (left & right)
2827X	3000mah 7.4v 2-Cell LiPo Battery	8352X-BLUE	Carriers, stub axle, 6061-T6 aluminum (blue-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell	8352X-GRAY	Carriers, stub axle, 6061-T6 aluminum (gray-anodized), left & right/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell	8352X-GRN	Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell	8352X-ORNG	Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	8352X-RED	Carriers, stub axle, 6061-T6 aluminum (red-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
2960X	5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell	8380	Housing, differential (rear)
2844R	5200mAh 7.4v 2-cell 35C LiPo Battery	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery		
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery		
2976	AC to DC adapter		
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)		
2943	Battery charge indicators, green (4), grey (4), blue (4)		
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)		
2914	Battery, Power Cell AA Alkaline (4)		
2970-2SR	Battery/Charger complete pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))		

Page 3 4-Tec® 2.0 Brushless AWD Chassis: TQ™ 2.4GHz Radio (Model 83124-4) Parts List

8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
10539-BLUE	Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRAY	Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-GRN	Shock tower, rear, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-ORNG	Shock tower, rear, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
10539-RED	Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)
8338	Shock towers, front & rear
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8331	Suspension arms, rear (left & right)
8340	Suspension pin set, complete (front & rear)
8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2658	Big-bore shocks (short) (hard-anodized & PTFE-coated T-6 aluminum)(assembled with TiN shafts) with springs (f/r) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
4262	Shock shaft, hard chrome (32mm) (rear) (2)
4261T	Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
2362	Shock rebuild kit (for 2 shocks)
4262	Shock shaft, hard chrome (32mm) (rear) (2)
4261T	Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2)
4262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
1765	Silicone diaphragms (4)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
8362X	Spring, shock (blue) (2)
8362G	Spring, shock (green) (2)
8362P	Spring, shock (pink) (2)
8366	Spring, shock (red) (2.8 rate, white stripe) (2)
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)

8362	Spring, shock (red) (3.7 rate) (2)
8363	Spring, shock (red) (4.075 rate, green stripe) (2)
8364	Spring, shock (red) (4.4 rate, black stripe) (2)
8360	Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)

Spur Gears & Pinion Gears

8323	Gear cover (rear chassis brace)
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2424	Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2429	Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
8358	Spur gear, 55-tooth
8359	Spur gear, 62-tooth
8357	Spur gear, 70-tooth
8368	Spur gear, 72 tooth (48 pitch)

Steering Components

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347	Rod ends, Revo® (large) with hollow balls (12)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
8344X	Servo saver/ servo saver spring/ servo saver horn, steering
8343	Steering bellcranks/ hardware
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Suspension Linkage

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	Camber links, steel, front (32mm) (2)
8348	Camber links, steel, rear (28mm) (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

8378	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear)
8375	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra wide) (2)) (VXL rated)
8373	Tires & wheels, assembled, glued (split-spoke black wheels, 1.9" Response tires) (front) (2)
8374	Tires & wheels, assembled, glued (split-spoke black wheels, 1.9" Response tires) (extra wide, rear) (2)
8376G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)
8377G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)
8374G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) VXL Rated (extra wide, rear) (2)
8373G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) VXL Rated (front) (2)

Page 4 4-Tec® 2.0 Brushless AWD Chassis: TQ™ 2.4GHz Radio (Model 83124-4) Parts List

8376A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)
8377A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
8374A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) VXL Rated (extra wide, rear) (2)
8373A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) VXL Rated (front) (2)
8370	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits #8372 wide wheel)
8369	Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)
8371	Wheels, 1.9" split-spoke (black chrome) (front) (2)
8372	Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	Camber links, steel, front (32mm) (2)
8346	Camber links, steel, front (32mm) (2)
8348	Camber links, steel, rear (28mm) (2)
8348	Camber links, steel, rear (28mm) (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
5349	Rod ends, small, with hollow balls (6) (for Revo® steering linkage)
8342	Toe links, steel (34mm) (2)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM